U.S. Department
of Transportation

**United States
Coast Guard**

Provisioning Manual for Major Systems Acquisitions

COMDTINST M4423.3

U.S. Department of Transportation

United States Coast Guard

Commandant
United States Coast Guard

2100 Second St. S.W.
Washington, DC 20593-0001
Staff Symbol: G-ELM
Phone: 202-267-1407

COMDTINST M4423.3

13 JUL 1995

COMMANDANT INSTRUCTION M4423.3

Subj: PROVISIONING MANUAL FOR MAJOR SYSTEMS ACQUISITIONS

1. **PURPOSE**. To implement Coast Guard (CG) policy and provide guidance to the provisioning process when used in a major system acquisition. This manual delineates procedures and responsibilities of the interfacing activities within the CG and the contractor. It is also intended to augment the Systems Acquisition Manual, COMDTINST M4150.2 (series). This manual is not intended for use below a major system acquisition. However, acquisitions not qualifying as major systems but still requiring initial Provisioning Technical Documentation (PTD) may use applicable sections of this manual when economically feasible. Usually, less than major systems acquisitions are provisioned per the sponsor's and appropriate provisioning activity's requirements.

2. **ACTION**. Commanders of maintenance and logistics commands, commanding officers of supply centers and chiefs of offices at Headquarters shall ensure compliance with this manual.

3. **DIRECTIVE AFFECTED**. COMDTINST M4423.2 is cancelled.

DISTRIBUTION - SDL No. 133

	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z
A																										
B			*		1				30		30															
C																										
D																										
E																										
F																										
G																										
H																										

NON-STANDARD DISTRIBUTION: *B:c MLCs only (5)

13 JUL 1995

4. **CHANGES**. Changes to this manual will be consecutively numbered and will include reprinted pages when necessary. Comments (recommendations, additions, deletions) and other pertinent data for use in improving this manual shall be addressed to Commandant (G-ELM).

5. **FORMS AVAILABILITY**. Order forms identified for use in this manual in accordance with Catalog of Forms (COMDTINST M5213.6 (series)).

E. J. BARRETT
Chief, Office of Engineering,
Logistics and Development

TABLE OF CONTENTS

PAGE

(Reverse Blank)

CHAPTER 1 - PROVISIONING

A. Overview. Provisioning is the process of identifying and determining the range and depth of piece parts required to support and maintain equipment. The objective is to ensure that replacement parts will be readily available to maintenance personnel when needed, either from the Federal Supply System (FSS) or directly from commercial sources. It is the cornerstone for establishing initial and life cycle supply support.

B. Reference Documents.

1. Systems Acquisition Manual, COMDTINST M4150.2 (series)

2. Contract Data Requirements List (CDRL), DD Form 1423-1

3. Data Item Description (DID), DD Form 1664

4. Logistics Support Analysis (LSA), MIL-STD-1388-1A

5. Logistics Support Analysis Record (LSAR), MIL-STD-1388-2B

C. Coast Guard (CG) Provisioning Planning. Total Integrated Logistics Support (ILS) planning, as outlined in Chapter 4 of the Systems Acquisition Manual (SAM), must be addressed early in the acquisition process. In order to determine the supply support and provisioning requirements, other ILS considerations must also be addressed, such as:

1. Operational maintenance and support concepts to include Reliability, Availability and Maintainability (RAM),

2. Maintenance and support outlines,

3. Provisioning resource requirements,

4. Maintenance training,

5. Maintenance plans,

6. Interim supply support requirements.

D. CG Provisioning Requirements. As other ILS elements begin to solidify in the development of the Circular of Requirements (COR), Statement of Work (SOW) or Specification, the provisioning requirements are also developed. Provisioning requirements are various

lists and data elements that when completed allow identification, selection, initial requirements and cataloging of supply items to be procured through the provisioning process.

1. The various lists and data requirements are expressed as Provisioning Technical Documentation (PTD), they are:

   a. The Logistics Support Analysis Record (LSAR) Data Requirements Form, DD Form 1949-3, (see enclosure (1) for an example). The general information and Part II, Section II addresses the provisioning and configuration lists and typical PTD data element requirements. Other Logistics Support Analysis (LSA) elements that may be required are not addressed here. All LSA data element definitions, including PTD, may be found in MIL-STD-1388-2B.

   b. The Provisioning Technical Documentation Submission Schedule (PTDSS). The PTDSS outlines in a month/percent illustration the PTD submission progress schedule. (See enclosure (2) for an example.) The PTDSS also denotes certain afloat Hull, Mechanical and Electrical (HM&E) critical systems which must be submitted in ratio to the physical construction of the end item.

   c. The Provisioning Performance Schedule (PPS). The PPS summarizes key provisioning events and milestones. The PPS identifies the end item, contractor, solicitation or contract number, conference dates and delivery dates for parts lists and other support deliverables. (See enclosure (3) for an example.)

2. Engineering Data for Provisioning (EDFP), also a requirement, is the recorded technical information (e.g., manuals, drawings, specifications) of a scientific or technical nature that support the PTD.

3. Provisioning requirements are documented in the solicitation/contract via the COR/SOW/Specification, Contract Data Requirements List (CDRL), DD Form 1423 and Data Item Description (DID), DD Form 1664.

E. **Provisioning Policy**. Provisioning shall be accomplished for all new major system acquisitions requiring maintenance and operational supply support, except when:

1. Technical documentation and supply support allowance determinations are in the possession of the

government, the supply support parts are already available to the government and their continued availability is assured.

2. The Project or appropriate support manager, for whatever reason, has determined that documentation and supply support are not required. This determination shall be in writing and placed on file.

CHAPTER 2 - CG ACTIVITIES RESPONSIBILITIES

A. General. All ILS functions and responsibilities required in the acquisition process are identified in Chapter 4 of the SAM. This chapter outlines the CG activities responsibilities in the provisioning process.

B. Project Manager (PM). The PM has overall responsibility of the project.

C. ILS Manager (ILSM). The ILSM is responsible for formulating, coordinating and implementing the ILS program, including the provisioning requirements for the PM. The ILSM shall:

1. As chairperson of the Integrated Logistics Support Management Team (ILSMT), coordinate the provisioning process segment,

2. Establish and monitor project reporting requirements,

D. Technical Support Managers (TSMs). Commandant (G-ENE), (G-TTE), (G-TES), (G-EAE) and/or other TSMs are responsible for developing technical data that relates to logistic support and the provisioning process. Support managers shall:

1. Assist the ILSM in determining LSA requirements,

2. Develop maintenance requirements that include support and facility requirements, determine the level of repair and assign maintenance codes that reflect these decisions,

3. Coordinate resource requirements with provisioning and maintenance activities for intermediate and depot level maintenance and supply support as required,

4. Participate as a member of the ILSMT.

E. Logistics Policy Advisor (LPA). Commandant (G-ELM) is the LPA and is responsible for ensuring that provisioning policy is addressed and provides guidance. The LPA shall:

1. Coordinate and maintain this manual,

2. Participate as a member of the ILSMT,

3. Assist ILSM and TSMs in defining requirements for provisioning,

4. Designate applicable Supply Centers as provisioning activities and monitor their performance (Electronic and HM&E only).

F. **Provisioning Activities (PAs).** PAs, Supply Centers for Electronic and HM&E and G-EAE for aviation acquisitions are responsible for receiving the various provisioning data from other activities and the contractor and for performing provisioning functions. PAs shall:

1. Assist LPA and TSMs in defining LSA requirements when developing provisioning requirements,

2. Assist in preparing budgets and resource requirements (spare parts, personnel, facilities, etc.) for both initial provisioning and projected follow on support including depot level repair programs,

3. Participate as a member of the ILSMT,

4. Develop Interim Support Lead Allowance Parts Lists (ISLAPLs) as directed,

5. Build initial outfit lists, as required,

6. Chair guidance and provisioning conferences, as required,

7. Perform all provisioning functions required to:

   a. Ensure equipment identification; assign Equipment Identification Code (EIC) as required,

   b. Build a complete and accurate allowance document that reflects the approved support and maintenance philosophies, concept and plan,

   c. Initiate new supply items into the FSS as required,

   d. Initiate Interservice Support Agreements (ISAs) with Other Government Agency (OGA) Item Managers (IMs) for support of required items already managed in the FSS,

   e. Initiate procurements for supply support of end items,

8. Inventory and/or stage supply support materiel as directed,

9. Prepare progress status reports as directed,

10. Fit-out platform/end items as required,

11. Interface with Project Resident Office (PRO) to enhance documentation flow, routine contract interpretations, contractor liaison, conference arrangements and other provisioning functions as required.

G. **Project Resident Offices (PROs)**. PROs, if required, are responsible for ensuring that contractual provisioning obligations are achieved. PROs shall:

1. Include personnel dedicated to this task,

2. Establish a direct liaison with PAs,

3. Validate end items/systems/equipments/components before acceptance by CG to ensure the PTD submitted by contractor and actual installed systems/ equipments/components agree,

4. Participate as a member of the ILSMT.

H. **Maintenance and Logistics Commands (MLCs)**. Commanders of MLCs are responsible for operational logistics support (Electronics and HM&E only). MLCs shall:

1. Under the TSMs guidance, develop maintenance support plans,

2. Participate as a member of the ILSMT as required.

CHAPTER 3 - CONTRACTUAL REQUIREMENTS

A. General. This chapter outlines the contractual requirements recommended for the provisioning process.

B. Contractor Requirements.

1. Development and Delivery. The contractor is responsible for developing and delivering the contractually required PTD and EDFP to the government. The PTD and EDFP requirements and delivery schedules are addressed in the COR/SOW/Specification, CDRLs, DIDs and this manual.

2. Relationship of Documentation to Other Data. The PTD and EDFP developed and delivered by the contractor shall not be considered as satisfying any other contractual requirements. In preparation of this requirement, the contractor may use data being developed for other contractual requirements, e.g., reliability and maintenance analysis, etc. However, preparation and submission of provisioning data shall not be delayed pending development of other such data.

3. Vendors/Subcontractors. A contractor who buys the end item or a portion thereof from a vendor/ subcontractor shall impose upon their vendors/ subcontractors, not later than when the purchase orders are issued, all applicable procedures, terms, conditions and data requirements of this document. Inclusion of this requirement for such data on purchase orders to vendors/subcontractors does not relieve the contractor of the obligation to ensure delivery of PTD and EDFP.

   a. Compliance. Contractors shall obtain from their vendors/subcontractors, in writing, confirmation that the vendors/subcontractors will comply with the data requirements levied upon them. Submittal time, format and content shall meet the CG approved PPS.

   b. Letters of Refusal. Contractors shall obtain from their vendors/subcontractors, confirmation, in writing, when they do not intend to comply with the data requirements levied upon them. All letters of refusal from vendors/ subcontractors must clearly state the reason for refusal and prescribe an alternate method for furnishing adequate data to accomplish the provisioning process. The contractor shall furnish the PA a copy of each letter of refusal

after receipt from vendors/subcontractors. Vendors/subcontractors may provide the data required by this document directly to the government.

c. Direct Vendor Contact. The CG, at its option and in coordination with the contractor, may contact the contractor's vendor/subcontractor directly for PTD requirements. The contractor will be notified and invited to participate. Throughout these contacts, any actions by the CG or the contractor will comply with the contractor's subcontracts and purchase orders for PTD.

4. Contractor Recommendations. Contractor recommendations, for both range and quantity of spare/repair parts, shall be in accordance with applicable CDRLs and DIDs.

5. Interim Supply Support. Contractor interim supply support, if required, will be addressed in the COR/SOW/Specification.

C. **CG Obligations**. Subsequent to receipt of PTD by the CG, any item selected as a support item by the CG does not constitute a commitment or obligation on the part of the CG to order such selected items.

D. **Detailed Requirements**.

1. Conferences. Requirements for conferences will be specified in the COR/SOW/Specification, CDRLs, DIDs and this manual.

a. Purpose of Conferences. The purpose of conferences is to address contractors LSA guidance, PTD preparedness review, general guidance, interim support, long lead time procurement items and PTD.

b. Number of Conferences. A conference may be held at any time during the life of the contract for the purpose of resolving logistics problems.

2. Provisioning Methods. The government shall make provisioning decisions using one of three methods: Resident Provisioning Team, Conference Team or In House. Definitions of each method are outlined in MIL-STD-1388-1A.

3. Data Requirements.

a. Provisioning. The general information and

Section II of DD Form 1949-3 (see enclosure (1) for an example) shall be used to describe the provisioning lists and their required data elements, unless otherwise directed. A complete definition of each data element listed on DD Form 1949-3 may be found in MIL-STD-1388-2B. These requirements may be consolidated with other logistics data requirements when developing the COR/SOW/Specification.

b. Performance. The PPS shall be used to describe events, set delivery schedules and monitor the performance of the provisioning process, unless otherwise directed.

4. Data Transfer. It is imperative that a transfer plan to move data from the contractor to the PA be developed. During the development of this plan, the government will provide details as to table structure and key elements. Additional details may be developed during the provisioning guidance conference.

a. All initial and supporting data or documentation required to be transferred shall be written in the English language.

b. The PAs may use the Personal Computer (PC) version of the Department of Defense (DOD) Interactive Computer Aided Provisioning System (ICAPS) to work the PTD data elements, and the PC version of the Real-Time Outfitting Management Information System Configuration Status Accounting (ROMIS CSA) to work the System Configuration Provisioning List (SCPL) and Provisioning Parts List (PPL).

c. The contractor shall be permitted wide latitude in choice of computer applications to gather provisioning, configuration and scheduling data. The ICAPS application, a DOD validated 1388-2B application, ROMIS CSA, most any relational database or any other application which will generate the necessary data files may be used. ICAPS and ROMIS CSA, if used, may be furnished by the government.

5. Statement of Prior Submission (SPS). SPS shall certify that the contractor has reasonable expectations that PTD and EDFP have been previously provided to a government activity that will satisfy the PTD requirements of this contract. Existence of an Allowance Parts Lists (APL) is not necessarily justification for submitting an SPS in lieu of PTD.

A SPS may apply to the end item or to any component thereof. The SPS must provide total identification of the subject item as well as the activity/agency, point of contact, telephone number and procurement document number under which the subject PTD was previously submitted. The SPS shall include a certification statement that certifies that all replacement parts are identical in every respect to those submitted under the original PTD submittal. If there is a difference, the certification shall identify the parts that are different. Appropriate documentation (PTD/EDFP) for the different parts shall be included with the SPS submittal. The government reserves the right to reject a SPS if it does not meet the PTD, EDFP or SPS data requirements of this contract.

6. Incremental Submissions. When authorized by the LSAR data requirements DD Form 1949-3, PTD may be submitted in increments, provided that such increments comprise no less than the requirements of a complete component.

7. Provisioning Screening. Provisioning screening, if required, will be addressed in the COR/SOW/ Specification.

LSAR DATA REQUIREMENTS FORM
GENERAL INFORMATION

Selection of a data element shall constitute the selection of all data keys or data dependancies required ot document the element in the LSAR. Where more than one data element code applies to a data selection, the Code column contains dashes (-). For narrative data, where each data element definition is separately selectable to a common data table, the code column is blank.

This Form consists of two sections. The first section consists of government furnished data. The second section consists of the LSAR Data Requirements Form and is divided into three parts. Part I is LSAR provisioning data selected by an entry in the required column. Part II is LSAR provisioning data selected by an entry in the type of provisioning list. Part III is packaging data selected by an entry under a packing categorization.

Explanation of codes appearing under the KEY column are provided below:

KEY	KEY EXPLANATION
K	Data table key. It is required when any data element of the table is selected.
F	Foreign key. It originates in another data table and is required prior to data element of the table being documented. Foreign keys appear only once on the data requirements forum within a major area, e.g., Task Analysis and Personnel and support Requirement.
M	Mandatory data. It is a nonidentifying data element that is required when entering information in the data table.
G	Data element provided by the requiring authority.
B	Data element that is both a key/foreign key and is provided by the requiring authority.
A	Army peculiar data element.
N	Navy peculiar data element.
R	Air Force peculiar data element.
C	Marine Corps peculiar data element.

PART II *Provisioning Requirements*

MEDIA

7-Track	_____	Even Parity	_____	BCD Coded	_____
9-Track	_____	Odd Parity	_____	EBCDIC Coded	_____
800 BPI	_____	1600 BPI	_____	6250 BPI	_____

Number of records per block is: _____

LSAR DATA REQUIREMENTS FORM
GENERAL INFORMATION

The appropriate code(s) for the header data and sequence should be entered in the appropriate spaces for the Type Provisioning Lists.

HEADER DATA

Procurement Instrument Identification (PIIN/SPIIN)	P
Nomenclature or Model or Type Number	N
Control Data	C
Prime Commercial and Government Entity	E
Submission Control Code	S
Date (YYMMDD)	Y

Sequence (Provisioning List Item Sequence Number assignment):

Logistic Support Analysis Control Number	Topdown	T
	Disassembly	D
	Reference Designation	X
Reference Number		R

Type Provisioning Lists	Specify (T, D, X, R)	Required (P, N, C, E, S, Y)	Conference Required Y/N
Long Lead Time Items List (LLTIL)			
Provisioning Parts Lists (PPL)			
Short Form PLL (SFPPL)			
Common and Bulk Items Lists (CBIL)			
Repairable Items List (RIL)			
Interim Support Items List (ISIL)			
Post Conference List (PCL)			
Tools and Test Equipment List (TTEL)			
System Configuration PPL (SCPPL)			
Design Change Notices (DCN)			
As Required (ARA) and specified in the SOW			
As Required (ARB) and specified in the SOW			

	Required (Y/N)	Time	Date (YYMMDD)
Provisioning *Guidance Conference*			
Location			
Provisioning *Conference*			
Location			
Provisioning *Preparedness Review Conference*			

PART III, *Packaging Requirements*

Common, MIL-STD-2073-1B, paragraph 3.3.1
Selective, MIL-STD-2073-1B, paragraph 3.3.2
Special, MIL-STD-2073-1B, paragraph 3.3.3

Other Instructions

LSAR DATA REQUIREMENTS FORM
GENERAL INFORMATION

Header Data should be documented for each type provioning list identified

Type Provisioning List _____

HEADER DATA

Procurement Instrument Identification (PIIN/SPIIN) _____

Nomenclature or Model or Type Number _____

Control Data _____

Prime Commercial and Government Entity _____

Submission Control Code _____

Date (YYMMDD) _____

Provisioning Activity (Address and Zip Code)

_____

Contractor Name (Address and Zip Code)

_____

Answer these questions as yes or no.

	(Y or N)
Interim Support Teams (Required)	_____
Incremental Submission (Authorized)	_____
Resident Provisioning Team (Established)	_____
Interim Release (Authorized)	_____
Provisioning Performance Schedule (Required)	_____
Repair Kits and Repair Part Sets (Included)	_____
Military Service/Agency Addendum (Attached)	_____

Common and Bulk Items List (Options 1-5, Select 1) _____

Delivery of Support Items Will Be (Concurrent, Scheduled, Not Scheduled, Select 1)

_____

Engineering Data for Provisioning (Microfilm, Hard Copy, Aperture Code, Digital/CALS)

_____

Engineering Data for Provisioning (Will be sequenced by Reference Designation PLISN, Reference Number, Other, Select 1)

_____

LSAR DATA REQUIREMENTS FORM
SECTION 1 GOVERNMENT FURNISHED DATA

This information should be filled out by the requiring authority and should pertain to the End Item only.

Table XA

End Item Acronym Code, DED 096 _____
Administrative Lead Time, DED 014 _____
Contact Team Delay Time, DED 052 _____
Contract Number, DED 055 _____
Cost Per Reorder Action, DED 061 _____
Cost Per Requisition, DED 062 _____
Demilitarization Cost, DED 077 _____
Discount Rate, DED 083 _____
Estimated Salvage Value, DED 102 _____
Holding Cost Percentage, DED 160 _____
Initial Bin Cost, DED 166 _____
Initial Cataloging Cost, DED 167 _____
Interest Rate, DED 173 _____
Inventory Storage Space Cost, DED 176 _____
Loading Factor, DED 195 _____
Operation Level, DED 271 _____
Operation Life, DED 272 _____
Personnel Turnover Rate Civ, DED 289 _____
Personnel Turnover Rate Mil, DED 289 _____
Productivity Factor, DED 300 _____
Recurring Bin Cost, DED 333 _____
Recurring Cataloging Cost, DED 334 _____
Retail Stockage Criteria, DED 359 _____
Safety Level, DED 363 _____
Support of Support Equipment, DED 421 _____
Transportation Cost, DED 466 _____
Type Acquisition, DED 478 _____
Type of Supply System Code, DED 484 _____

Table AI

Modeling Service Des. Code, DED 376 _____
Modeling O/M Level Code, DED 277 _____
Labor Rate, DED 189 _____
Number of Shops, DED 263 _____
Repair Work Space Cost, DED 352 _____
Required Days of Stock, DED 357 _____

Table AJ

O/M Level From, DED 277 _____
O/M Level To, DED 277 _____
Ship Distance, DED 085 _____
Ship Time, DED 379 _____

Table AK

Add. Supportability Consids, DED 010 _____
Add. Supportability Parameters, DED 011 _____
Oper. Mission Failure Def., DED 274 _____

LSAR DATA REQUIREMENTS FORM
SECTION 1 GOVERNMENT FURNISHED DATA

This information should be filled out by the requiring authority and should pertain to the item (LSA Control Number) under analysis

Table XB
LSA Control Number, DED 199 _____

Table XC
Usuable On Code, DED 501 _____
System/End Item, PCCN, DED 307 _____

Table AA
Service Designator Code, DED 376 _____
Required MTTR, DED 501 _____
Required Percentile, DED 286 _____
Required Ach. Availability, DED 001 _____
Required Inh. Availability, DED 164 _____
Operational MAMDT, DED 223 _____
Technical MAMDT, DED 223 _____
Required Operational MTTR, DED 236 _____
Required Technical MTTR, DED 236 _____
Number of Operating Locations, DED 262 _____
Crew Size, DED 064 _____
Total Systems Supported, DED 454 _____
RCM Logic Utilized, DED 345 _____

Table AB
Operational Reqt Indicator, DED 275 _____
Annual Number of Missions, DED 021 _____
Annual Operating Days, DED 022 _____
Annual Operating Time, DED 024 _____
Mean Mission Duration, DED 228 _____
Mean Mission Duration MB, DED 238 _____
Required Op. Availability, DED 273 _____
Required ALDT, DED 013 _____
Required Standby Time, DED 403 _____

Table AC
O/M Level, DED 277 _____
Maintenance Level MaxTTR, DED 222 _____
Maintenance Level Percentile, DED 286 _____
Number of Systems Supported, DED 265 _____
Maintenance Level Scheduled AMH, DED 020 _____
Maintenance Level Unscheduled AMH, DED 020 _____
Scheduled MH/Operating Hour, DED 215 _____
Unscheduled MH/Operating Hour, DED 215 _____
Unscheduled Maintenance MET, DED 499 _____
Unscheduled Maintenance MMH, DED 499 _____

Table AD
Daily Inspection MET, DED 280 _____
Daily Inspection MMH, DED 280 _____
Preoperative Inspection MET, DED 280 _____
Preoperative Inspection MMT, DED 280 _____

LSAR DATA REQUIREMENTS FORM
SECTION 1 GOVERNMENT FURNISHED DATA

Post Operative Inspection MET, DED 280
Post Operative Inspection MMH, DED 280
Periodic Inspection MET, DED 280
Periodic Inspection, MMH, DED 280
Mission Profile Inspection MET, DED 280
Mission Profile Inspection, MMH, DED 280
Turnaround Inspection, MET, DED 280
Turnaround Inspection, MMH, DED 280

Table AE
Available Man Hour, DED 028
Available Quantity, DED 324
Utilization Ratio, DED 503

Table AF
Additional Requirements, DED 009

Table AG
AOR MB, DED 238
Annual Operating Requirement, DED 023
Operational Reqt Indicator, DED 275
Required Operational MTBF, DED 229
Required Technical MTBF, DED 229
Required Operational MTBMA, DED 230
Required Technical MTBMA, DED 230
Required MTBR, DED 235

Table AH
Interoperable Item Name, DED 182
Interoperable Number Type, DED 266
Interoperable CAGE Code, DED 046
Interoperable Reference Number, DED 337
Interoperable Item NIIN, DED 253
Interoperable Item NSN FSC, DED 253
Interoperable Item TM Number, DED 440

LSAR DATA REQUIREMENTS FORM
SECTION 1 GOVERNMENT FURNISHED DATA

This information should be filled out by the requiring authority and should pertain to a piece of Support Equipment that is supporting the item under analysis.

Table EA and EB
Support Equipment Cage, DED 046
SE Reference Number, DED 337

Table EA
Acquisition Decision Office, DED 002
Logistics Decision Office, DED 198
Management Plan, DED 216
SMR Code, DED 389
Program Element, DED 301
Program Supply Inventory Control Point, DED 303
Revolving Assets, DED 361
Spare Factor, DED 390
Special Management Code, DED 393
SIASC Number, DED 401
SE Shipping Height, DED 419
SE Shipping Length, DED 419
SE Shipping Width, DED 419
SE Shipping Weight, DED 420
Type of Equipment Code, DED 480

Table EB
Allowance Document Number, DED 016
Allowance Range 1, DED 015
Allowance Range 2, DED 015
Allowance Range 3, DED 015
Allowance Range 4, DED 015
Allowance Range 5, DED 015
Allowance Range 6, DED 015
Allowance Range 7, DED 015
Allowance Range 8, DED 015
Allowance Range 9, DED 015
Allowance Range 10, DED 015
Allocation Designation Description, DED 015
Allocation Extended Range, DED 015
Allocation Land Vessal Code, DED 015
Allocation Maint. Level Function, DED 015
Allocation Station ID Code, DED 015

LSAR DATA REQUIREMENTS FORM
SECTION 1 GOVERNMENT FURNISHED DATA

This information should be filled out by the requiring authority and should pertain to the item under analysis.

Table UA
UUT LSA Control Number, DED 199 _____
UUT Maintenance Plan Number, DED 209 _____

Table HA
CAGE Code, DED 046 _____
Reference Number, DED 337 _____
Acquisition Method Code, DED 003 _____
Acquisition Method Suffix Code, DED 004 _____

Table HG and HP
Cage Code, DED 046 _____
Reference Number, DED 337 _____
LSA Control Number, DED 199 _____

Table HG
Provisioning System ID Code, DED 312 _____

Table HP
Change Authority Number, DED 043 _____

Part I	LSAR DATA REQUIREMENTS FORM			Section 2
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*	*REQUIRED*
CROSS FUNCTIONAL REQUIREMENT				
Table XA. *END ITEM ACRONYM CODE*				
END ITEM ACRONYM CODE	K	096	EIACODXA	
LCN STRUCTURE		202	LCNSTRXA	
ADMINISTRATIVE LEAD TIME	G	014	ADDLTMXA	
CONTRACT TEAM DELAY TIME	G	052	CTDLTMXA	
CONTRACT NUMBER	G	055	CONTNOXA	
COST PER REORDER ACTION	G	061	CSREORXA	
COST PER REQUISITIION	G	062	CSPRRQXA	
DEMILITARIZATION COST	G	077	DEMILCXA	
DISCOUNT RATE	G	083	DISCNTXA	
ESTIMATED SALVAGE VALUE	G	102	ESSALVXA	
HOLDING COST PERCENTAGE	G	160	HLCSPCXA	
INITIAL BIN COST	G	166	INTBINXA	
INITIAL CATALOGING COST	G	167	INCATCXA	
INTEREST RATE	G	173	INTRATXA	
INVENTORY STORAGE SPACE COST	G	178	INVSTGXA	
LOADING FACTOR	G	195	LODFACXA	
OPERATION LEVEL	G	271	WSOPLVXA	
OPERATION LIFE	G	272	OPRLIFXA	
PERSONNEL TURNOVER RATE	G	289	————	
PRODUCTIVITY FACTOR	G	300	PROFACXA	
RECURRING BIN COST	G	333	RCBINCXA	
RECURRING CATALOGING COST	G	334	RCCATCXA	
RETAIL STOCKAGE CRITERIA	G	359	RESTCRXA	
SAFETY LEVEL	G	363	SAFLVLXA	
SUPPORT OF SUPPORT EQUIPMENT COST FACTOR	G	421	SECSPCXA	
TRANSPORTATION COST	G	466	TRNCSTXA	
TYPE ACQUISITION	G	478	WSTYACXA	
TYPE OF SUPPLY SYSTEM COST	G	484	TSSCODXA	
Table XB. *LCN INDENTURED ITEM*				
LSA CONTROL NUMBER (LCN)	K	199	LSACONXB	
ALTERNATE LCN CODE	K	019	ALTLCNXB	
LCN TYPE	K	203	LCNTYPXB	
LCN INDENTURE CODE		200	LCNINDXB	
LCN NOMENCLATURE		201	LCNAMEXB	
TM FUNCTIONAL GROUP CODE (MAINT ALLOCATION CHART)		438	TMFGCDXB	
SYSTEM/END ITEM IDENTIFIER		423	SYSIDNXB	
SECTIONALIZED ITEM TRANSPORTATION INDICATOR		367	SECITMXB	
RELIABILITY AVAILABILITY MAINTAINABILITY INDICATOR		342	RAMINDXB	
Table XC. *SYSTEM/END ITEM* (SEE ALSO PART II)				
USABLE ON CODE	G	501	UOCSEIXC	
SYSTEM/EI PCCN	G	307	PCCNUMXC	
SYSTEM/EI ITEM DESIGNATOR CODE		179	ITMDESXC	
TRANSPORTATION END ITEM INDICATOR		467	TRASEIXC	
Table XD. *SYSTEM/END ITEM SERIAL NUMBER* (SEE ALSO PART II)				
SERIAL NUMBER	K	373	————	
SERIAL NUMBER USUABLE ON CODE		375	SNUUOCXD	

Part I — LSAR DATA REQUIREMENTS FORM	KEY	DED	CODE	Section 2 REQUIRED
DATA ELEMENT TITLE				
Table XE. LCN TO SERIAL NUMBER USABLE ON CODE				
Table XF. LCN TO SYSTEM/END ITEM USABLE ON CODE				
Table XG. FUNCTIONAL/PHYSICAL LCN MAPPING				
Table XH. COMMERCIAL AND GOVERNMENT ENTITY				
COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE	K	046	CAGECDXH	
CAGE NAME		047	CANAMEXH	
CAGE ADDRESS		047	——	
Table XI. TECHNICAL MANUAL CODE AND NUMBER INDEX				
TECHNICAL MANUAL (TM) CODE	K	437	TMCODEXI	
TM NUMBER	G	440	TMNUNBXI	
OPERATIONS AND MAINTENANCE REQUIREMENTS				
Table AA. OPERATIONS AND MAINTENANCE REQUIREMENTS				
END ITEM ACRONYM CODE	F	096	EIACODXA	
LSA CONTROL NUMBER (LCN)	F	199	LSACONXB	
ALTERNATE LCN CODE	F	019	ALTLCNXB	
LCN TYPE	F	203	LCNTYPXB	
SERVICE DESIGNATOR CODE	K	376	SERDESAA	
REQUIRED MAXIMUM TIME TO REPAIR	G	222	MAXTTRAA	
REQUIRED ACHIEVED AVAILABILITY	G	001	ACHAVAAA	
REQUIRED INHERENT AVAILABILITY	G	164	INHAVAAA	
OPERATIONAL MEAN ACTIVE MAINTENANCE DOWNTIME	G	223	OMAMDTAA	
TECHNICAL MEAN ACTIVE MAINTENANCE DOWNTIME	G	223	TMAMDTAA	
REQUIRED OPERATIONAL MEAN TIME TO REPAIR	G	236	OPMTTRAA	
REQUIRED TECHNICAL MEAN TIME TO REPAIR	G	236	TEMTTRAA	
NUMBER OPERATING LOCATIONS	G	282	NUOPLOAA	
CREW SIZE	G	064	CREWSZAA	
TOTAL SYSTEMS SUPPORTED	G	454	TOSYSUAA	
RELIABILITY CENTERED MAINTENANCE LOGIC UTILITZED	G	345	RCMLOGAA	
Table AB. WAR PEACE OPERATIONS AND MAINTENANCE REQUIREMENT				
OPEATIONAL REQUIREMENT INDICATOR	K	275	OPRQINAB	
ANNUAL NUMBER OF MISSIONS	G	021	ANNOMIAB	
ANNUAL OPERATING DAYS	G	022	ANOPDAAB	
ANNUAL OPERATING TIME	G	024	ANOPTIAB	
MEAN MISSION DURATION	G	228	MMISDUAB	
REQUIRED OPERATIONAL AVAILABILITY	G	273	OPAVAIAB	
REQUIRED ADMINISTRATIVE AND LOGISTIC DELAY TIME	G	013	OPALDTAB	
REQUIRED STANDBY TIME	G	403	OSTBTIAB	
Table AC. MAINTENANCE LEVEL REQUIREMENT				
OPERATIONS AND MAINTENANCE LEVEL CODE	K	277	OMLVLCAC	
MAINTENANCE LEVEL MAXIMUM TIME TO REPAIR	G	222	MLMTTRAC	
NUMBER OF SYSTEMS SUPPORTED	G	285	MLNSSUAC	
MAINTENANCE LEVEL SCHDULED ANNUAL MAN-HOURS	G	020	MLSAMHAC	
MAINTENANCE LEVEL UNSCHEDULED ANNUAL MAN-HOURS	G	020	MLUAMHAC	
SCHEDULED MAN-HOUR PER OPERATING HOUR	G	215	MLSMHOAC	
UNSCHEDULED MAN-HOUR PER OPERATING HOUR	G	215	MLUMHOAC	

Part I	LSAR DATA REQUIREMENTS FORM			Section 2
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*	*REQUIRED*
UNSCHEDULED MAINTENANCE MEAN ELAPSED TIME	G	499	MLUMETAC	
UNSCHEDULED MAINTENANCE MEAN MAN-HOURS	G	499	MLUMMHAC	
Table AD. *ORGANIZATIONAL LEVEL REQUIREMENT*				
DAILY INSPECTION MEAN ELAPSED TIME	G	280	DINMETAD	
DAILY INSPECTION MEAN MAN-HOURS	G	280	DINMMHAD	
PREOPERATIVE INSPECTION MEAN ELAPSED TIME	G	280	PREMETAD	
PREOPERATIVE INSPECTION MEAN MAN-HOURS	G	280	PREMMHAD	
POST OPERATIVE INSPECTION MEAN ELAPSED TIME	G	280	POIMETAD	
POST OPERATIVE INSPECTION MEAN MAN-HOURS	G	280	POIMMHAD	
PERIODIC INSPECTION MEAN ELAPSED TIME	G	280	PINMETAD	
PERIODIC INSPECTION MEAN MAN-HOURS	G	280	PINMMHAD	
MISSION PROFILE CHANGE MEAN ELAPSED TIME	G	280	MPCMETAD	
MISSION PROFILE CHANGE MEAN MAN-HOURS	G	280	MPCMMHAD	
TURNAROUND INSPECTION MEAN ELAPSED TIME	G	280	TINMETAD	
TURNAROUND INSPECTION MEAN MAN-HOURS	G	280	TINMMHAD	
Table AE. *SKILL OPERATIONS AND MAINTENANCE REQUIREMENT*				
SKILL SPECIALTY CODE	F	367	SKSPCDGA	
AVAILABLE MAN-HOUR	G	028	AVAIMHAE	
AVAILABLE QUANTITY	G	324	QUTAVAAE	
UTILIZATION RATIO	G	503	UTRATIAE	
Table AF. *WAR PEACE ADDITIONAL REQUIREMENTS NARRATIVE*				
ADDITIONAL REQUIREMENTS	G	009	WPADDRAF	
Table AG. *RELIABILITY REQUIREMENT*				
ANNUAL OPERATING REQUIREMENT	M	023	ANOPREAG	
OPERATIONAL REQUIREMENTS INDICATOR	M	275	OPRQINAB	
REQUIRED OPERATIONAL MEAN TIME BETWEEN FAILURES	G	229	OPMTBFAG	
REQUIRED TECHNICAL MEAN TIME BETWEEN FAILURES	G	229	TEMTBFAG	
REQUIRED OPERATIONAL MEAN TIME BETWEEN MAINT ACTIONS	G	230	OPMRBMAG	
REQUIRED TECHNICAL MEAN TIME BETWEEN MAINT ACTIONS	G	230	TMTBMAAG	
REQUIRED MEAN TIME BETWEEN REMOVALS	G	236	MTBRXXAG	
Table AH. *INTEROPERABILITY REQUIREMENT*				
INTEROPERABLE ITEM NAME	K	182	IONAMEAH	
INTEROPERABLE ITEM NUMBER TYPE	K	286	IOINTYAH	
INTEROPERABLE CAGE CODE	G	046	IOCAGEAH	
INTEROPERABLE REFERENCE NUMBER	G	337	IOREFNAH	
INTEROPERABLE ITEM NATIONAL STOCK NUMBER	G	253	———	
INTEROPERABLE ITEM TECHNICAL MANUAL NUMBER	G	440	IOITNMAH	
Table AI. *MODELING DATA*				
MODELING SERVICE DESIGNATOR CODE	K	376	SERDESAI	
MODELING OPERATIONS AND MAINTENANCE LEVEL CODE	K	277	OMLVLCAI	
LABOR RATE	G	189	LABRATAI	
NUMBER OF SHOPS	G	283	NOSHPSAI	
REPAIR WORK SPACE COST	G	352	RPWSCSAI	
REQUIRED DAYS OF STOCK	G	357	RQDSTKAI	
Table AJ. *OPERATIONS AND MAINTENANCE SHIPPING REQUIREMENTS*				

Part I	LSAR DATA REQUIREMENTS FORM				Section 2
DATA ELEMENT TITLE		*KEY*	*DED*	*CODE*	*REQUIRED*
OPERATIONS AND MAINTENANCE LEVEL FROM		K	277	OMLVLFAJ	
OPERATIONS AND MAINTENANCE LEVEL TO		K	277	OMLVLTAJ	
SHIP DISTANCE		G	086	SHPDISAJ	
SHIP TIME		G	379	TIMESHAJ	
Table AK. *SYSTEM END ITEM NARRATIVE*					
SYSTEM END ITEM NARRATIVE CODE		K	424	SEINCDAK	
ADDITIONAL SUPPORTABILITY CONSIDERATIONS		G	010		
ADDITIONAL SUPPORTABILITY PARAMETERS		G	011		
OPERATIONAL MISSION FAILURE DEFINITIONS		G	274		
ITEM RELIABILITY, AVAILABILITY, AND MAINTAINABILITY REQUIREMENTS; FAILURE MODES EFFECTS AND CRITICALITY ANALYSIS; AND MAINTAINABILITY ANALYSIS					
TABLE BA. *RELIABILITY, AVAILABILITY AND MAINTAINABILITY*					
END ITEM ACRONYM CODE		F	096	EIACODXA	
LSA CONTROL NUMBER (LCN)		F	199	LSACONDB	
ALTERNATIVE LCN CODE		F	019	ALTLCNXB	
LCN TYPE		F	203	LCNTYPXB	
MINIMUM EQUIPMENT LIST INDICATOR			243	MEQLINBA	
CONVERSION FACTOR			059	CONVFABA	
FAULT ISOLATION			143	———	
BIT DETECTABILITY LEVEL PERCENTAGE			032	———	
BUILD IN TEST CANNOT DUPLICATE PERCENTAGE			031	BITNDPBA	
BUILT IN TEST RETEST OK PERCENT			033	BITROPBA	
FAILURE RATE DATA SOURCE			141	FRDATABA	
PILOT REWORK OVERHAUL CANDIDATE			292	PREOVCBA	
SECURITY CLEARANCE			369	SECCLEBA	
SUPPORT CONCEPT			410	SUPCONBA	
WEAROUT LIFE			505	WEOULIBA	
LOGISTICS CONSIDERATIONS			196	———	
Table BB. *RAM CHARACTERISTICS NARRATIVE*					
RAM CHARACTERISTICS NARRATIVE CODE		K	341	RAMCNABB	
ITEM FUNCTION			180		
MAINTENANCE CONCEPT			207		
MINIMUM EQUIPMENT LIST NARRATIVE			244		
QUALITATIVE & QUANTITATIVE MAINTAINABILITY REQUIREMENT			315		
MAINTENANCE PLAN RATIONALE			210		
Table BC. *RAM LOGISTICS CONSIDERATIONS*					
LOGISTICS CONSIDERATION CODE		K	425	LOCOCOBC	
RAM LOGISTIC CONSIDERATIONS			426	LOGNARBC	
Table BD. *RAM INDICATOR CHARACTERISTICS*					
RAM INDICATOR CODE		K	347	RAMINDBD	
ACHIEVED AVAILABILITY			001	ACHAVABD	
INHERENT AVAILABILITY			184	INHAVABD	
FAILURE RATE			140	FAILRTBD	
INHERENT MAINTENANCE FACTOR			185	INHMAFBD	
MAXIMUM TIME TO REPAIR			222	MAXTTRBD	

Part I LSAR DATA REQUIREMENTS FOR:				Section 2
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*	*REQUIRED*
MEAN TIME TO REPAIR OPERATIONAL		236	MTTROPBD	
MEAN TIME TO REPAIR TECHNICAL		236	MTTRTHBD	
MEAN TIME BETWEEN FAILURES OPERATIONAL		229	OPMTBFBD	
MEAN TIME BETWEEN FAILURES TECHNICAL		229	TEMTBFBD	
MEAN TIME BETWEEN MAINTENANCE ACTIONS OPERATIONAL		230	OMTBMABD	
MEAN TIME BETWEEN MAINTENANCE ACTIONS TECHNICAL		230	TMTBMABD	
MEAN TIME BETWEEN MAINTENANCE INDUCED		231	INMTBMBD	
MEAN TIME BETWEEN MAINTENANCE INHERENT		232	INHMTBBD	
MEAN TIME BETWEEN MAINTENANCE NO DEFECT		233	NOMTBMBD	
MEAN TIME BETWEEN PREVENTIVE MAINTENANCE		234	MTBMPVBD	
MEAN TIME BETWEEN REMOVALS		235	MTBR00BD	
Table BE, *WARIPEACE RAM INDICATOR CHARACTERISTICS*				
RAM OPERATIONAL REQUIREMENT INDICATOR	K	275	OPROINBE	
ADMINISTRATIVE AND LOGISTICS DELAY TIME		013	ALDTX0BE	
OPERATIONAL AVAILABILITY		273	OPAVAIBE	
STANDBY TIME		403	STABYTBE	
Table BF, *FAILURE MODE AND RELIABILITY CENTERED MAINTENANCE (RCM) ANALYSIS*				
FAILURE MODE INDICATOR	K	134	FAMOINBF	
ENGINEERING FAILURE MODE MEAN TIME BETWEEN FAILURES		097	EFMTBFBF	
FAILURE MODE CLASSIFICATION		132	FMCLASBF	
FAILURE MODE RATIO		136	FMRATOBF	
RELIABILITY CENTERED MAINTENANCE (RCM) LOGIC RESULTS		344	———	
REM DISPOSITION		084	———	
Table BG, *FAILURE MODE AND RCM NARRATIVE*				
FAILURE MODE AND RCM NARRATIVE CODE	K	131	FMNCNABG	
FAILURE/DAMAGE MODE EFFECT END EFFECT		125		
FAILURE/DAMAGE MODE EFFECT LOCAL		126		
FAILURE/DAMAGE MODE EFFECT NEXT HIGHER		127		
FAILURE CAUSE		124		
FAILURE/DAMAGE MODE		128		
FAILURE MODE DETECTION METHOD		129		
FAILURE MODE PREDICTABILITY		138		
FAILURE MODE REMARKS		137		
REDESIGN RECOMMENDATIONS		426		
RCM AGE EXPLORATION		343		
RELIABILITY CENTERED MAINTENANCE REASONINGS		346		
RCM REDESIGN RECOMMENDATIONS		426		
Table BH, *FAILURE MODE TASK*				
TASK REQUIREMENT LCN	F	199	TLSACNBH	
TASK REQUIREMENT ALTERNATIVE LCN CODE	F	019	TALCNCBH	
TASK REQUIREMENT LCN TYPE	F	203	TLCNTYBH	
TASK CODE	F	427	TTASKCBH	
TASK TYPE		433	TATYPEBH	
MAINTENANCE INTERVAL		208	MAININBH	
Table BI, *FAILURE MODE INDICATOR (FMI) MISSION PHASE CODE (MPC) CHARACTERISTICS*				
SAFETY HAZARD SEVERITY CODE	M	362	FMSHSCBI	

Part I	LSAR DATA REQUIREMENTS FORM			Section 2
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*	*REQUIRED*
FAILURE EFFECT PROBABILITY		130	FEPROBBI	
FAILURE MODE CRITICALITY NUMBER		133	FACRNUBI	
FAILURE PROBABILITY LEVEL		139	FPROBLBI	
OPERATING TIME		269	FMOPTIBI	
Table BJ. *FMI MPC CHARACTERISITCS NARRATIVE*				
FMI-MPC CHARACTERISTICS NARRATIVE CODE	K	135	FMMPCNBJ	
COMPENSATING DESIGN PROVISIONS		049		
COMPENSATING OPERATOR ACTION PROVISIONS		050		
Table BK. *RAM CRITICALITY*				
RAM SAFETY HAZARD SEVERITY CODE	K	362	FMSHSCBK	
RAM ITEM CRITICALITY NUMBER		176	RICRITBK	
Table BL. *MISSION PHASE OPERATIONAL MODE*				
MISSION PHASE CODE	K	246	MISSPCBL	
MISSION PHASE OPERATIONAL MODE		247	MPOPLDBL	
TASK ANALYSIS AND PERSONNEL AND SUPPORT REQUIREMENT				
Table CA. *TASK REQUIREMENT*				
END ITEM ACRONYM CODE	F	096	EIACODXA	
LSA CONTROL NUMBER (LCN)	F	199	LSACONXB	
ALTERNATIVE LCN CODE	F	019	ALTLCNXB	
LCN TYPE	F	203	LCNTYPXB	
TASK CODE	K	427	TASKCDCA	
REFERENCED TASK CODE		427	REFTSKCA	
TASK ANNUAL OPERATING REQUIREMENT MEASUREMENT BASE		238	AORMSBCA	
TASK IDENTIFICATION		431	TASKIDCA	
TASK FREQUENCY		430	TSKFRQCA	
TASK CRITICALITY CODE		429	TSKCRCCA	
HARDNESS CRITICAL PROCEDURE CODE		182	HRDCPCCA	
HAZARDOUS MAINTENANCE PROCEDURES CODE		185	HAZMPCCA	
PREVENTIVE MAINTENANCE CHECKS AND SERVICES INDICATOR		296	PMCSIDCA	
MEASURED MEAN ELAPSE TIME		224	MSDMETCA	
PREDICTED MEAN ELAPSE TIME		224	PRDMETCA	
MEASURED MEAN MAN-HOURS		225	MSDMMHCA	
PREDICTED MEAN MAN-HOURS		225	PRDMMHCA	
MEANS OF DETECTION		237	———	
FACILITY REQUIREMENT CODE		358	FTRNRQCA	
TRAINING EQUIPMENT REQUIREMENT CODE		358	TRNRQCCA	
TRAINING RECOMMENDATION TYPE		463	TRNRECCA	
TRAINING LOCATION RATIONALE		461	TRNLOCCA	
TRAINING RATIONALE		462	TRNRATCA	
TOOL/SUPPORT EQUIPMENT REQUIREMENT CODE		358	TSEREQCA	
TASK PERFORMANCE		287	———	
TASK CONDITION		428	———	
Table CB. *SUBTASK REQUIREMENT*				
SUBTASK NUMBER	K	407	SUBNUMCB	
REFERENCED SUBTASK NUMBER		407	RFDSUBCB	
SUBTASK MEAN MINUTE ELASPSE TIME		227	SBMMETCB	
SUBTASK WORK AREA CODE		514	SUBWACCB	

Part I	LSAR DATA REQUIREMENTS FORM			Section 2
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*	*REQUIRED*
Table CC, *SEQUENTIAL SUBTASK DESCRIPTION*				
SEQUENTIAL SUBTASK DESCRIPTION		372	SUBNARCC	
ELEMENT INDICATOR		095	ELEMNTCC	
Table CD, *SUBTASK PERSONNEL REQUIREMENT*				
SUBTASK PERSON IDENTIFIER	K	288	SUBPIDCD	
SKILL SPECIALTY CODE		357	SKSPCDGA	
NEW OR MODIFIED SKILL SPECIALTY CODE		257	MDCSSCGB	
SUBTASK MEAN MAN-MINUTES		226	SUBMMMCD	
SKILL SPECIALTY EVALUATION CODE		388	SSECDECD	
Table CE, *TASK REMARK REFERENCE*				
TASK REMARK REFERENCE CODE	K	349	TSKRRCCE	
TASK REMARK	K	432	TSKREMCE	
Table CF, *TASK REMARK*				
Table CG, *TASK SUPPORT EQUIPMENT*				
TASK SUPPORT REFERENCE NUMBER	F	337	TSREFNCG	
TASK SUPPORT CAGE CODE	F	046	TSCAGECG	
SUPPORT ITEM QUANTITY PER TASK		319	SQTYTKCG	
Table CH, *TASK MANUAL*				
TECHNICAL MANUAL CODE	F	457	TMCODECI	
Table CI, *TASK PROVISIONED ITEM*				
TASK PROVISION LCN	F	199	PROLCNCI	
TASK PROVISION ALC	F	019	PROALCCI	
TASK PROVISION LCN TYPE	F	203	PROLTYCI	
TASK PROVISION CAGE CODE	F	046	PROCAGCI	
TASK PROVISION REFERENCE NUMBER	F	337	PROREFCI	
PROVISION QUANTITY PER TASK		319	PQTYTKCI	
Table CJ, *JOB AND DUTY ASSIGNMENT*				
JOB CODE	K	186	JOBCODCJ	
DUTY CODE	K	091	DUTYCDCJ	
JOB		185	DOBDESCJ	
DUTY		090	DUTIESCJ	
Table CK, *TASK INVENTORY*				
SEQUENTIAL SUBTASK DESCRIPTION TSC FROM	K	450	TSFROMCK	
SEQUENTIAL SUBTASK DESCRIPTION TSC TO	K	450	TEXTTOCK	
SUBTASK PERSON IDENTIFIER	K	288	SUBPIDCD	
SUPPORT EQUIPMENT AND TRAINING MATERIAL REQUIREMENTS Task EA, *SUPPORT EQUIPMENT*				
SUPPORT EQUIPMENT CAGE	F	046	SECAGEEA	
SUPPORT EQUIPMENT REFERENCE NUMBER	F	337	SEREFNEA	
SUPPORT EQUIPMENT FULL ITEM NAME		412	FLITNMEA	
SUPPORT EQUIPMENT ITEM CATEGORY CODE		177	SEICCDEA	
ACQUISITION DECISION OFFICE	G	002	ACQDCOFEA	
END ARTICLE ITEM DESIGNATOR		179	ENDARTEA	

Part I — LSAR DATA REQUIREMENTS FORM				Section 2
DATA ELEMENT TITLE	KEY	DED	CODE	REQUIRED
ADAPTOR/INTERCONNECTION DEVICE REQUIRED		005	AIDRQDEA	
DATE OF FIRST ARTICLE DELIVERY		071	DATFADEA	
CALIBRATION INTERVAL		037	CALINTEA	
CALIBRATION ITEM		038	CALITMEA	
CALIBRATION REQUIRED		040	CALRQDEA	
CALIBRATION STANDARD		041	CALSTDEA	
CALIBRATION TIME		042	CALTIMEA	
CALIBRATION MEASUREMENT REQUIREMENT SUMMARY RECOMMENDED		035	CMRSRCEA	
CONTRACT NUMBER		055	CNTRNOEA	
CONTRACTOR FURNISHED/GOVERNMENT FURNISHED EQUIPMENT		056	CFEGFEEA	
CUSTODY CODE		069	CUSTCDEA	
DRAWING CLASSIFICATIONS		088	DRWCLSEA	
ECONOMIC ANALYSIS		093	ECOANLEA	
FAMILY GROUP		142	FAMRGPEA	
GENERIC CODE		148	GENECDEA	
GOVERNMENT DESIGNATOR		149	GOVDESEA	
HARDWARE DEVELOPMENT PRICE		153	HDWRPREA	
INTEGRATED LOGISTIC SUPPORT PRICE		170	ILSPRCEA	
DESIGN DATA PRICE		080	DSNPRCEA	
EXTENDED UNIT PRICE		103	EXUNPREA	
PASS THRU PRICE		285	PASTHREA	
OPERATING AND SUPPORT COST		257	OSCOSTEA	
RECURRING COST		332	RCURCSEA	
LIFE CYCLE STATUS		190	LICYSTEA	
LIFE SPAN		191	LIFSPNEA	
LOGISTIC CONTROL CODE		197	LGCTCDEA	
LOGISTICS DECISION OFFICE	G	198	LGDCOFEA	
LSA RECOMMENDATION CODE		204	LSARCDEA	
MANAGEMENT PLAN	G	216	MGTPLNEA	
MANAGING COMMAND/AGENCY		217	MGCOATEA	
SUPPORT EQUIPMENT MEAN TIME BETWEEN FAILURES		229	SEMTBFEA	
SUPPORT EQUIPMENT MEAN TIME BETWEEN MAINTENANCE ACTIONS		230	SMTBMAEA	
SUPPORT EQUIPMENT MEAN TIME TO REPAIR		236	SEMTTREA	
MOBILE FACILITY CODE		248	MOBFACEA	
MODIFICATION OR CHANGE		252	MODCHGEA	
OPERATING DIMENSIONS		268	———	
OPERATING WEIGHT		270	OPRWGTEA	
PRINTED CIRCUIT BOARD REPAIR MAINTENANCE LEVEL		277	PCBLVLEA	
SUPPORT EQUIPMENT CALIBRATION MAINTENANCE LEVEL		277	CALLVLEA	
SUPPORT EQUIPMENT (SE) REPAIR MAINTENANCE LEVEL		277	RPRLVLEA	
SE SOURCE, MAINTENANCE AND RECOVERABILITY CODE	G	389	SMRCSEEA	
TECHNICAL MANUAL REQUIRED CODE		441	TMRQCDEA	
OPERATORS MANUAL		278	OPRMANEA	
SKILL SPECIALTY CODE FOR SUPPORT EQUIPMENT OPERATOR		367	SSCOPREA	
PREPARING ACTIVITY		294	PREATYEA	
PROGRAM ELEMENT	G	301	PROFLEEA	
PROGRAM SUPPORT INVENTORY CONTROL POINT	G	303	PSICPOEA	
REPORTABLE ITEM CONTROL CODE		356	SERICCEA	
REVOLVING ASSETS	G	361	REVASSEA	
SELF TEST CODE		370	SLFTSTEA	
SENSORS OR TRANSDUCERS		371	SENTRAEA	
SE SERVICE DESIGNATOR		376	SERDESEA	

Part I	LSAR DATA REQUIREMENTS FORM			Section 2
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*	*REQUIRED*
USING SERVICE DESIGNATOR CODE		376	USESEREA	
SKETCH		383	SKETCHEA	
SPARE FACTOR	G	390	SPRFACEA	
SPECIAL MANAGEMENT CODE	G	393	SPMGNTEA	
STANDARD INTERSERVICE AGENCY SERIAL CONTROL NUMBER	G	401	SIASCNE	
STORAGE DIMENSIONS		405	———	
STORAGE WEIGHT		406	STOWGTEA	
SUPPORT EQUIPMENT SHIPPING DIMENSIONS	G	419	———	
SUPPORT EQUIPMENT SHIPPING WEIGHT	G	420	SESHWTEA	
SUPPORT EQUIPMENT GROUPING		413	SEGRCDEA	
SUPPORT EQUIPMENT REQUIRED		418	SEREQDEA	
TECHNICAL EVALUATION PRIORITY CODE		435	TECEVLEA	
TEST LANGUAGE		443	TSTLNGEA	
TEST POINTS		446	TSTPTSEA	
TMDE REGISTER CODE		444	TMDERCEA	
TMDE REGISTER INDEX		445	TMDERIEA	
TYPE CLASSIFICATION		479	TYPCLSEA	
TYPE EQUIPMENT CODE	G	480	TYPEEQEA	
YEAR OF FIELDING		518	YRFLDGEA	
Table EB. *ALLOCATION DATA*				
ALLOWANCE DOCUMENT NUMBER	B	016	ALCDNMEB	
ALLOWABLE RANGE 1-10 AND EXTENDED RANGE	G	015	———	
ALLOCATION DESIGNATION DESCRIPTION	G	015	ALDNDSEB	
ALLOCATION LAND VESSEL CODE	G	015	ALLVCDEB	
ALLOCATION MAINTENANCE LEVEL FUNCTION	G	015	ALMLVLEB	
ALLOCATION STATION IDENTIFICATION CODE	G	015	ALSTIDEB	
Table EC. *SUPPORT EQUIPMENT PARAMETERS*				
SUPPORT EQUIPMENT PARAMETERS	K	284	———	
CALIBRATION PROCEDURE		039	CALPROEC	
Table ED. *SUPPORT EQUIPMENT AUTHORIZATION*				
SPECIFIC AUTHORIZATION	B	399	———	
Table EE. *SUPPORT EQUIPMENT NARRATIVE*				
SUPPORT EQUIPMENT NARRATIVE CODE	K	414	SENARCEE	
FUNCTIONAL ANALYSIS		147		
DESCRIPTION AND FUNCTION OF SUPPORT EQUIPMENT		078		
SUPPORT EQUIPMENT NON-PROLIFERATION EFFORT		415		
CHARACTERISTICS OF SUPPORT EQUIPMENT		044		
INSTALLATION FACTORS OR OTHER FACILITIES		169		
ADDITIONAL SKILLS AND SPECIAL TRAINING REQUIREMENTS		008		
SUPPORT EQUIPMENT EXPLANATION		411		
JUSTIFICATION		188		
Table EF. *SUPPORT EQUIPMENT RECOMMENDATION DATA*				
SUPPORT EQUIPMENT RECOMMENDATION DATA (SERD) NUMBER	K	416	SERDNOEF	
SERD REVISION	K	360	SRDREVEF	
SERD STATUS		404	STATUSEF	
SERD DATE OF ORIGINAL SUBMISSION		071	INTSUBEA	
SERD DATE OF GOVERNMENT DISPOSITION	G	071	DTGVDSEF	
SERD DATE OF REVISION SUBMISSION		071	DTRVSBEF	

Part I · LSAR DATA REQUIREMENTS FORM				Section 2
DATA ELEMENT TITLE	KEY	DED	CODE	REQUIRED
Table EG. SERD REVISION REMARKS				
SERD REVISION REMARKS		417	REVREMEG	
Table EH. ALTERNATE NATIONAL STOCK NUMBERS				
ALTERNATE NATIONAL STOCK NUMBER	K	253	———	
Table EI. INPUT POWER SOURCE				
INPUT POWER SOURCE	K	168	———	
Table EJ. SUPPORT EQUIPMENT DESIGN DATA				
DESIGN DATA CATEGORY (DDCC)	K	079	DSNDATEJ	
DDCC CONTRACTOR RECOMMENDED		057	CNTRECEJ	
DDCC ESTIMATED PRICE		101	ESTPRCEJ	
DDCC GOVERNMENT REQUIRED		150	GOVRQDEJ	
DDCC SCOPE		365	DDCCSCEJ	
Table EK. SUPERCEDURE DATA				
SUPERCEDURE CAGE CODE	K	046	SPRCAGEK	
SUPERCEDURE REFERENCE NUMBER	K	337	SPRREFEK	
SUPERCEDURE TYPE	M	408	SUPYPEEK	
SUPERCEDURE ITEM NAME		182	SUPITNEK	
SUPERCEDURE SERD NUMBER		416	SUSRNOEK	
REASON FOR SUPERCEDURE/DELETION		327	REASUPEK	
SUPERCEDURE INTERCHANGEABILITY CODE		172	ICCODEEK	
Table EL. SUPPORT EQUIPMENT ILS REQUIREMENT CATEGORY CODE				
ILS REQUIREMENT CATEGORY CODE (IRCC)	K	171	IRCCODEL	
IRCC CONTRACTOR RECOMMENDED		057	CONRECEL	
IRCC ESTIMATED PRICE		101	ESTPRCEL	
IRCC GOVERNMENT REQUIRED		150	GOVRQDEL	
IRCC SCOPE		365	IRCSCOEL	
Table EM. SYSTEM EQUIPMENT				
SYSTEM CAGE CODE	F	046	SCAGECEM	
SYSTEM REFERENCE NUMBER	F	337	SREFNOEM	
SYSTEM EQUIPMENT QUANTITY PER TEST		320	QTYTSTEM	
SYSTEM EQUIPMENT ITEM DESCRIPTION		179	GFAEIDEM	
UNIT UNDER TEST REQUIREMENTS AND DESCRIPTION				
Table UA. ARTICLE REQUIRING SUPPORT/UNIT UNDER TEST (UUT)				
END ITEM ACRONYM CODE	F	096	EIACODXA	
UUT LSA CONTROL NUMBER (LCN)	F	199	UUTLCNUA	
UUT ALTERNATE LCN CODE	F	019	UUTALCUA	
UUT LCN TYPE	F	203	UTLCNTUA	
UUT ALLOWANCE		016	UTALLOUA	
UUT MAINTENANCE PLAN NUMBER	G	209	UMNTPLUA	
UUT TEST REQUIREMENTS DOCUMENT NUMBER		448	UTTRDNUA	
UUT WORK PACKAGE REFERENCE		515	UTWPRFUA	

Part I — LSAR DATA REQUIREMENTS FORM				Section 2
DATA ELEMENT TITLE	KEY	DED	CODE	REQUIRED
Table UB. ARTICLE REQUIRING SUPPORTIUUT SUPPORT EQUIPMENT				
SUPPORT EQUIPMENT CAGE CODE	F	046	SECAGEEA	
SUPPORT EQUIPMENT REFERENCE NUMBER	F	337	SEREFNEA	
UUT CMRS SUMMARY STATUS		036	UTSTCDUB	
UUT CMRS RECOMMENDED CODE		035	UTCMRSUB	
Table UC. OPERATIONAL TEST PROGRAM				
OPERATIONAL TEST PROGRAM (OTP) CAGE CODE	F	046	OTPCAGUC	
OTP REFERENCE NUMBER	F	337	OTPREFUC	
OTP APPORTIONED UNIT COST		025	———	
OTP COORDINATED TEST PLAN		060	OTPCTPUC	
OTP STANDARDS FOR COMPARISION		412	OTPSFCUC	
OTP SUPPORT EQUIPMENT RECOMMENDATION DATA NUMBER		416	OTPSRDUC	
Table UD. UUT SUPPORT EQUIPMENT OPERATIONAL TEST PROGRAM				
Table UE. TEST PROGRAM INSTRUCTION				
TEST PROGRAM INSTRUCTION (TPI) CAGE CODE	F	046	TPICAGUE	
TPI REFERENCE NUMBER	F	337	TPIREFUE	
TPI APPORTIONED UNIT COST		025	———	
TPI SELF TEST		370	TPISTSUE	
TPI TECHNICAL DATA PACKAGE		434	TPITDPUE	
TPI SUPPORT EQUIPMENT RECOMMENDATION DATA NUMBER		416	TPISRDUE	
Table UF. UNIT UNDER TEST EXPLANATION				
UUT EXPLANATION		466	UTEXPLUF	
Table UG. UNIT UNDER TEST PARAMETER GROUP				
UUT PARAMETERS	K	284	———	
UUT CMRS PARAMETER CODE		034	UUTPPCUG	
UTT PARAMETER		442	———	
Table UH. UUT FALT ISOLATED REPLACEALBE UNIT				
TASK LSA CONTROL NUMBER (LCN)	F	199	TSKLCNCI	
TASK ALTERNATE LCN CODE (ALC)	F	019	TSKALCCI	
TASK LCN TYPE	F	203	TSKLTYCI	
TASK PROVISION TASK CODE	F	427	TSKTCDCI	
TASK PROVISION LCN	F	199	PROLCNCI	
TASK PROVISION ALC	F	019	PROALCCI	
TASK PROVISION LCN TYPE	F	203	PROLTYCI	
TASK PROVISION CAGE CODE	F	046	PROCAGCI	
TASK PROVISION REFERENCE NUMBER	F	337	PROREFCI	
SUPPORT EQUIPMENT CAGE CODE	M	046	SECAGEEA	
SUPPORT EQUIPMENT REFERENCE NUMBER	M	337	SEREFNEA	
UUT FIRU FAULT ISOLATION		143	———	
UUT FIRU TEST REQUIREMENTS DOCUMENT INDICATIOR		447	UUTFTDUH	
Table UI. ADAPTER-INTERCONNECTOR DEVICE				
ADAPTER INTERCONNECTOR DEVICE (AID) CAGE CODE	F	046	AIDCAGUI	
AID REFERENCE NUMBER	F	337	AIDREFUI	
AID APPORTIONED UNIT COST		025	———	

Part I — LSAR DATA REQUIREMENTS FORM				Section 2
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*	*REQUIRED*
AID SUPPORT EQUIPMENT RECOMMENDATION DATA NUMBER		416	AIDSRDUI	
AID COMMON UNIT UNDER TEST		048	AIDCUTUI	
Table UJ. *UUT SUPPORT EQUIPMENT ADAPTER-INTERCONNECTOR DEVICE*				
Table UK. *AUTOMATIC TEST EQUIPMENT TEST STATION*				
ATE CAGE CODE	F	046	ATECAGUK	
AUTOMATIC TEST EQUIPMENT (ATE) REFERENCE NUMBER	F	337	ATEREFUK	
ATE GOVERNMENT DESIGNATOR		149	ATEGDSUK	
Table UL. *UUT SUPPORT EQUIPMENT AUTOMATIC TEST EQUIPMENT*				
Table UM. *SUPPORT EQUIPMENT ITEM UNIT UNDER TEST*				
SUPPORT EQUIPMENT UNIT UNDER TEST (SE UUT) CAGE CODE	F	046	SUTCAGUM	
SE UUT REFERENCE NUMBER	F	337	SUTREFUM	
SE UUT ALLOWANCE		016	SUTALLUM	
SE UUT CMRS STATUS		036	SUTSTCUM	
SE UUT MAINTENANCE PLAN NUMBER		209	MNTPLNUM	
SE UUT TEST REQUIREMENTS DOCUMENT NUMBER		448	TRDNUMUM	
SE UUT WORK PACKAGE REFERENCE		515	WKPKRFUM	
Table UN. *SUPPORT EQUIPMENT UUT PARAMETER GROUP*				
SE UUT PARAMETERS	K	284	———	
SE UUT CMRS PARAMETERS CODE		034	UTPACMUN	
SE UUT PARAMETER TEST ACCURACY RATIO		442	———	
FACILITIES CONSIDERATION				
Table FA. *FACILITY*				
FACILITY NAME	K	118	FACNAMFA	
FACILITY CATEGORY CODE	K	115	FACCCDFA	
FACILITY TYPE	K	483	TYPFACFA	
FACILITY CLASS		116	FACCLAFA	
FACILITY DRAWING CLASSIFICATION		088	DRCLASFA	
FACILITY DRAWING NUMBER		089	FADNUMFA	
FACILITY DRAWING REVISION		360	FADREVFA	
FACILITY AREA		112	FAAREAFA	
FACILITY AREA UNIT OF MEASURE		491	FAARUMFA	
FACILITY CONSTRUCTION UNIT OF MEASURE PRICE		492	FACNCOFA	
CONSTRUCTION UNIT OF MEASURE		491	CONUOMFA	
Table FB. *FACILITY NARRATIVE*				
FACILITY NARRATIVE CODE	K	119	FNCODEF	
FACILITY CAPABILITY		114		
FACILITY LOCATION		117		
Table FC. *FACILITY BASELINE NARRATIVE*				
BASELINE FACILITY NARRATIVE CODE	K	113	FBNACDFC	
FACILITIES MAINTENANCE REQUIREMENT		107		
FACILITIES REQUIREMENTS FOR OPERATIONS		109		
FACILITIES REQUIREMENT FOR TRAINING		110		

Part I- LSAR DATA REQUIREMENTS FORM				Section 2
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*	*REQUIRED*
FACILITY REQUIREMENTS SPECIAL CONSIDERATIONS		120		
FACILITY REQUIREMENTS SUPPLY/STORAGE		121		
Table FD, *NEW OR MODIFIED FACILITY NARRATIVE*				
NEW OR MODIFIED FACILITY NARRATIVE CODE	K	255	NMFNCDFD	
FACILITY DESIGN CRITERIA		105		
FACILITY INSTALLATION LEAD TIME		106		
FACILITY TASK AREA BREAKDOWN		122		
FACILITIES UTILIZATION		111		
FACILITIES REQUIREMENTS		108		
FACILITY UNIT COST RATIONALE		123		
FACILITY JUSTIFICATION		188		
TYPE OF CONSTRUCTION		482		
UTILITIES REQUIREMENT		802		
Table FE, *OPERATIONS AND MAINTENANCE TASK FACILITY REQUIREMENT*				
END ITEM ACRONYM CODE	F	096	EIACODXA	
LSA CONTROL NUMBER (LCN)	F	199	LCNCODXA	
ALTERNATE LCN CODE	F	019	ALTLCNXB	
LCN TYPE	F	203	LCNTYPXB	
TASK CODE	F	427	TASKCDCA	
PERSONNEL SKILL CONSIDERATIONS				
Table GA, *SKILL SPECIALITY*				
SKILL SPECIALITY CODE	K	387	SKSPCDGA	
SKILL LEVEL CODE		386	SKLVCDGA	
HOUR LABOR RATE		161	HRLARTGA	
TRAINING COST		460	TRNCOSGA	
Table GB, *NEW OR MODIFIED SKILL*				
NEW OR MODIFIED SKILL SPECIALITY CODE	K	257	MDCSSCGB	
NEW OR MODIFIED SKILL LEVEL CODE		386	MDSCLCGB	
SKILL SPECIALTY CODE		387	SKSPCDGA	
DUTY POSITION REQUIRING A NEW OR REVISED SKILL		092	DPRNRSGB	
RECOMMENDED RANK/RATE/PAY PLAN/GRADE		330	———	
SECURITY CLEARANCE		389	SCRSSCGB	
TEST SCORE		449	SSCTESGB	
ASVAB-AFQT SCORE		026	ABAFQTGB	
ASVAB AFQT EXPECTED RANGE		026	———	
ASVAB AFQT LOWEST PERCENT		026	———	
Table GC, *NEW OR MODIFIED SKILL NARRATIVE*				
NEW OR MODIFIED SKILL NARRATIVE CODE	K	258	NMSNCDGC	
ADDITIONAL REQUIREMENTS		007		
EDUCATIONAL QUALIFICATIONS		094		
SKILL JUSTIFICATION		188		
ADDITIONAL TRAINING REQUIREMENTS.		012		
Table GD, *SKILL APTITUDE DATA*				
ASVAB APTITUDE ELEMENT	K	026	ASVAPEGD	

Part I	LSAR DATA REQUIREMENTS FORM			Section 2
DATA ELEMENT TITLE	A..	*DED*	*CODE*	*REQUIRED*
ASVAB APTITUDE ELEMENT EXPECTED RANGE		026	———	
ASVAB APTITUDE ELEMENT LOWEST PERCENT		026	———	
Table GE. *PHYSICAL AND MENTAL REQUIREMENTS NARRATIVE*				
END ITEM ACRONYM	F	096	EIACODXA	
LSA CONTROL NUMBER (LCN)	F	199	LSACONDB	
ATERNATIVE LCN CODE	F	019	ALTLCNDB	
LCN TYPE	F	203	LCNTYPXB	
TASK CODE	F	427	TASKCDCA	
SUBTASK NUMBER	F	407	SUBNUMCB	
SUBTASK PERSON IDENTIFIER	F	288	SUBPIDCD	
PHYSICAL AND MENTAL REQUIREMENTS		290	PAMENRGE	
TRANSPORTABILITY ENGINEERING ANALYSIS				
Table JA. *TRANSPORTATION*				
END ITEM ACRONYM CODE	F	096	EIACODXA	
LSA CONROL NUMBER (LCN)	F	199	LSACONDB	
ALTERNATIVE LCN CODE	F	019	ALTLCNDB	
LCN TYPE	F	2036	LCNTYPXB	
TRANSPORTATION INDICATOR		468	TRNINDJA	
SECTIONALIZED IDENTIFICATION		366	SECTIDJA	
ENVIRONMENTAL HANDLING AND TRANSPORTATION INDICATOR		096	ENHATCJA	
DELIVERY SCHEDULE		075	DELSCHJA	
CONTRACT NUMBER		055	CONNUMJA	
PROPER SHIPPING NAME		304	PROPSNJA	
SPEED		400	SPSPEDJA	
TOWING SPEED		455	TWSPEDJA	
MILITARY UNIT TYPE		242	MILUNTJA	
REVISION DATE		071	TRCHRDJA	
THEATER OF OPERATION		451	TRCHTHJA	
NONOPERATIONAL FRAGILITY FACTOR		280	NOPRFFJA	
NET EXPLOSIVE WEIGHT		254	NETEXWJA	
Table JB. *TRANSPORTATION SHIPPING MODE*				
TRANSPORTATION CHARACTER NUMBER	K	465	TRANCNJB	
TRANSPORTATION CHARACTER MODE TYPE	K	464	TRCHMTJB	
TRANSPORTATION ITEM DESIGNATOR		469	TRITDRJB	
SHIPPING CONFIGURATION		380	SHPCONJB	
CONTAINER LENGTH		063	CONLENJB	
CONTAINER TYPE		054	CONTYPJB	
FREIGHT CLASSIFICATION		146	FRCLASJB	
EXTERNAL OR INTERNAL LOAD INDICATOR		104	EOILINJB	
HELICOPTER MISSION		159	———	
HIGHWAY MODEL LOAD		250	———	
HIGHWAY MODEL TYPE		251	———	
RAIL USE		326	RAILUSJB	
RAIL TRANSPORTATION COUNTRY		329	RAILTCJB	
SEA DECK STOWAGE		072	SDECKSJB	
Table JC. *TRANSPORTED END ITEM*				
TRANSPORTED CONFIGURATION NUMBER	K	473	TRCONMJC	
MOBILITY TYPE	K	249	MOBTYPJC	

Part I	LSAR DATA REQUIREMENTS FORM			Section 2
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*	*REQUIRED*
OPERATIONAL WEIGHT EMPTY/LOADED		276	———	
MILITARY LOAD CLASSIFICATION EMPTY/LOADED		241	———	
SHIPPING WEIGHT EMPTY/LOADED		361	———	
CREST ANGLE		083	CREANGJC	
TRACKED GROUND PRESSURE		466	TRGRPRJC	
TRACKED ROAD WHEEL WEIGHT		459	TRRWWTJC	
TRACKED PADS TOUCHING		458	TRNUPTJC	
TRACKED PAD SHOE AREA		457	TRPSARJC	
WHEELED INFLATION PRESSURE		507	WHINPRJC	
WHEELED NUMBER OF PLIES		508	WHNUPLJC	
WHEELED NUMBER TIRES		509	WHNUTIJC	
WHEELED TIRE LOAD RATINGS		510	WHTLDRJC	
WHEELED TIRE SIZE		512	WHTIFTJC	
WHEELED WEIGHT RATINGS		513	WHWERAJC	
AXLE LENGTH		029	———	
SKID NUMBER OF SKIDS		284	SNUMSKJC	
SKID AREA		364	SDSICGJC	
Table JD. *TRANSPORTED END ITEM NARRATIVE*				
TRANSPORTED END ITEM NARRATIVE CODE	K	474	TREINCJD	
WHEELED TIRE REQUIREMENTS		511		
SKID REMARKS		365		
TURNING INFORMATION		477		
WHEELED AXLE AND SUSPENSION REMARKS		508		
TRANSPORTED OTHER EQUIPMENT		475		
Table JE. *TRANSPORT B Y FISCAL YEAR*				
TRANSPORT FISCAL YEAR	K	145	TRAFYRJE	
FIRST QUARTER PROCUREMENT ACTIVITY		298	FIQPQTJE	
SECOND QUARTER PROCUREMENT ACTIVITY		298	SQPQTYPE	
THIRD QUARTER PROCUREMENT ACTIVITY		298	TQPQTYJE	
FOURTH QUARTER PROCRUEMENT ACTIVITY		298	FQPQTYJE	
Table JF. *TRANSPORTATION NARRATIVE*				
TRANSPORTATION NARRATIVE CODE	K	470	TRANCDJF	
TRANSPORTATION SHOCK VIBRATION REMARKS		382		
LIFTING AND TIEDOWN REMARKS		192		
TRANSPORTATION PROJECTION REMARKS		471		
REGULATORY REQUIREMENTS		340		
TRANSPORTATION REMARKS		472		
SPECIAL SER VICE AND EQUIPMENT		366		
SECTIONALIZED REMARKS		368		
TRANSPORTED TO AND FROM		476		
ENVIRONMENTAL CONSIDERATIONS		099		
MILITARY DISTANCE CLASSFICATION		240		
UNUSUAL AND SPECIAL REQUIREMENTS		500		
VENTING AND PROTECTIVE CLOTHING		504		
DISASTER RESPONSE FORCE REQUIREMENTS		082		

Part II · LSAR DATA REQUIREMENTS FORM					Section 2												
PROVISIONING REQUIREMENTS																	
				LSA 036 CARD BLOCK	REQD	LLTIL	PPL	SFPFL	CEIL	RIL	ISIL	PCL	TTEL	SCPL	DCN	ARA	ARB
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*														
CROSS FUNCTIONAL REQUIREMENT																	
Table XC. *SYSTEM/END ITEM* (SEE ALSO PART I)																	
USUABLE ON CODE	G	501	UOCSEIXC	D-43													
SYSTEM/EI PCCN	G	307	PCCNUMXC	A-1	X	X	X			X	X		X	X	X		
SYSTEM/EI PLISN		309	PLISNOXC	A-2	X	X	X			X	X		X	X	X		
SYSTEM/EI TYPE OF CHANGE CODE		481	TOCCODXC	A-3	X	X	X			X	X		X	X	X		
SYSTEM/EI QUANTITY PER ASSEMBLY		316	QTYASYXC	C-32	X	X	X			X	X		X	X	X		
SYSTEM/EI QUANTITY PER END ITEM		317	QTYPEIXC	C-33	X	X	X			X	X		X	X	X		
Table XD. SYSTEM/END ITEM SERIAL NUMBER (SEE ALSO PART I)																	
Table HA. *ITEM IDENTIFICATION* (SEE ALSO PART III)																	
CAGE CODE	F	046	CAGECDXH	A-5	X	X	X			X	X		X	X	X		
REFERENCE NUMBER	K	337	REFNUMHA	A-6	X	X	X			X	X		X	X	X		
ITEM NAME		182	ITNAMEHA	A-12	X	X	X			X	X		X	X	X		
ITEM NAME CODE		183	INAMECHA	J-89													
REFERENCE NUMBER CATEGORY CODE		338	REFNCCHA	A-7													
REFERENCE NUMBER VARIATION CODE		339	REFNVCHA	A-8													
DLSC SCREENING REQUIREMENT CODE	M	073	DLSCRCHA		X												
DOCUMENT IDENTIFIER CODE	M	067	DOCIDCHA		X												
ITEM MANAGEMENT CODE		181	ITMMGCHA	E-64													
NSN PREFIX	M	253	———	B-15	Z		Z			Z	Z		Z	Z	Z		
NATIONAL STOCK NUMBER (NSN)	M	253	———	B-15	Z		Z			Z	Z		Z	Z	Z		
NSN SUFFIX	M	253	———	B-15	Z		Z			Z	Z		Z	Z	Z		
UNIT OF ISSUE CONVERSION FACTOR		489	UICONVHA	B-20													
SHELF LIFE	M	377	SHLIFEHA	A-13	X		X			X			X		X		
SHELF LIFE ACTION CODE	M	378	SLACTNHA	A-14	X		X			X			X		X		
PROGRAM PARTS SELECTION LIST		302	PPSLSTHA	A-10													
DOCUMENT AVAILABILITY CODE		086	DOCAVCHA	A-9													
PRODUCTION LEAD TIME	M	299	PRDLDTHA	B-24	X		X			X	X		X	X	X		
SPECIAL MATERIAL CONTENT CODE	M	395	SPMACCHA	D-47	X		X			X			X		X		
SPECIAL MAINTENANCE ITEM CODE	M	392	SMAINCHA	D-49	X		X			X			X		X		
CRITICALITY CODE		086	CRITCDHA	J-88													
PRECIOUS METAL INDICATOR CODE	M	293	PMICODHA	B-27	X		Z			Z			Z		Z		
SPARES ACQ INTEGRATED WITH PRODUCTION	M	391	SAIPCDHA		Z												
PROVISIONING LIST CATEGORY CODE		306	———	D-48													
PHYSICAL SECURITY PILFERAGE CODE		291	PHYSECHA	B-26													
ADP EQUIPMENT CODE		027	ADPEQPHA	B-28													
DEMILITARIZATION CODE	M	078	DEMILIHA	B-23	X		Z			Z			Z		Z		
ACQUISITION METHOD CODE	G	003	ACQMETHA	E-62	X		X			X			X		X		
ACQUISITION METHOD SUFFIX CODE	G	004	AMSUFCHA	E-63	X		X			X			X		X		
HAZARDOUS MATERIALS STORAGE COST		156	HMSCOSHA														
HAZARDOUS WASTE DISPOSAL COST		157	WDCOSHA														
HAZARDOUS WASTE STORAGE COST		158	HWSCOSHA														
CONTRACTOR TECHNICAL INFORMATION CODE		058	CTICODHA	E-61													
UNIT OF MEASURE	M	491	UNITMSHA	B-16	X		X			X	X		X	X	X		
UNIT OF ISSUE	M	488	UNITISHA	B-18	X		X			X	X		X	X	X		

Part II LSAR DATA REQUIREMENTS FORM																Section 2
PROVISIONING REQUIREMENTS																
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*	LSA 036 CARD BLOCK	REQD	LLTIL	PPL	SFPPL	CBIL	RIL	ISIL	PCL	TTEL	SCPL	DCN	ARA	ARB
LINE ITEM NUMBER		193	LINNUMHA													
CRITICAL ITEM CODE		065	CRITITHA													
INDUST MATERIALS ANALYSIS OF CAPACITY		163	INDMATHA													
MATERIAL LEADTIME		219	MTLEADHA													
MATERIAL WEIGHT		220	MTLWGTHA													
MATERIAL		218	MATERLHA	M-92												
Table HB. *ADDITIONAL REFERENCE NUMBER*																
ARN CAGE CODE	F	046	ADCAGEHB	A-5	Z		Z				Z		Z			
ADDITIONAL REFERENCE NUMBER	K	008	ADDREFHB	A-6	Z		Z				Z		Z			
ARN REFERENCE NUMBER CATEGORY CODE	M	338	ADRNCCHB	A-7	Z		Z				Z		Z			
ARN REFERENCE NUMBER VARIATION CODE	M	339	ADRNVCHB	A-8	Z		Z				Z		Z			
Table HC. *CONTRACTOR TECHNICAL INFORMATION CODE CAGE*																
CTIC CAGE CODE	F	046	CTCAGEHC													
Table HD. *UNIT OF ISSUE PRICE*																
UNIT OF ISSUE (UI) PRICE	K	490	UIPRICHD	B-19	X	X	X			X	X		X		X		
UI PRICE LOT QUANTITY		205	———													
UI PRICE CONCURRENT PRODUCTION CODE		051	CURPRCHD													
UI PRICE TYPE OF PRICE CODE		485	TUIPRCHD													
UI PRICE PROVISIONING		314	PROUIPHD													
UI PRICE FISCAL YEAR		145	FISCYRHD													
Table HE. *UNIT OF MEASURE PRICE*																
UNIT OF MEASURE (UM) PRICE	K	492	UMPRICHE	B-17	X	X	X			X	X				X		
UM PRICE LOT QUANTITY		205	———													
UM PRICE CONCURRENT PRODUCTION CODE		051	CURPRCHE													
UM PRICE TYPE OF PRICE CODE		485	TUMPRCHE													
UM PRICE PROVISIONING		314	PROUMPHE													
UM PRICE FISCAL YEAR		145	FISCYRHE													
Table HG. *PART APPLICATION PROVISIONING*																
END ITEM ACRONYM CODE	F	096	EIACODXA		X											
LSA CONTROL NUMBER (LCN)	F	199	LSACONXB	H-77	X		X									
ALTERNATE LCN CODE	F	019	ALTLCNXB	H-78	X		X									
LCN TYPE	F	203	LCNTYPXB		X											
PROV LIST ITEM SEQUENCE NO (PLISN)	M	309	PLISNOHG	A-2	X		X			X			X	X	X		
QUANTITY PER ASSEMBLY		316	QTYASYHG	C-92													
OPTION 1																	
OPTION 2	N				X		X			X			X	X	X		
OPTION 3																	
SUPPRESSION INDICATOR		422	SUPINDHG														
DATA STATUS CODE	M	070	DATASCHG		X												
PROVISIONING SYSTEM IDENTIFIER CODE	C	312	PROSICHG														
PTD SELECTION CODE	M	313	———		Z		Z			Z	Z		Z		Z		
TYPE OF CHANGE CODE	M	481	TOCCODHG	A-3	X		X			X	X		X		X		
INDENTURE CODE	M	162	INDCODHG	A-4	X		X			X	X		X		X		

Part II	LSAR DATA REQUIREMENTS FORM													Section 2	
PROVISIONING REQUIREMENTS															
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*	LSA 036 CARD BLOCK	REQD	LLTIL	PPL	SFPPL	CBIL	RIL	ISIL	PCL	TTEL	SCPL	DCN	AARA	ARB
ATTACHING PART/HARDWARE																	
OPTION 1																	
OPTION 2																	
OPTION 3																	
OPTION 4	M				Z		Z			Z	Z		Z		Z		
OPTION 5																	
INDENTURE FOR KITS																	
OPTION 1																	
OPTION 2	M				Z		Z			Z	Z		Z		Z		
OPTION 3																	
QUALITY PER END ITEM		317	QTYPEIHG	C-33													
OPTION 1																	
OPTION 2	N				X	X	X			X	X		X		X		
OPTION 3	C																
PRIOR ITEM PLISN	M	297	PIPLISHG	C-39	X		X			X			X		X		
SAME AS PLISN		364	SAPLISHG	C-38													
HARDNESS CRITICAL ITEM		151	HARDCIHG	B-25													
REMAIN IN PLACE INDICATOR		348	REMIPIHG	E-65													
LINE REPLACEABLE UNIT		194	LRUNITHG	J-80													
ITEM CATEGORY CODE		177	ITMCATHG														
ESSENTIALITY CODE	M	100	ESSCODHG	A-11	X		X			X			X		X		
SOURCE, MAINT AND RECOVERABILITY CODE	M	389	SMRCODHG	B-22	X		X										
MAINTENANCE REPLACEMENT RATE I	M	211	MRRONEHG	C-34	X		X			X							
MAINTENANCE REPLACEMENT RATE II		212	MRRTWOHG	C-35													
OPTION 1																	
OPTION 2																	
MAINTENANCE REPLACEMENT RATE MODIFIER	A	213	MRRMODHG	C-36													
REPLACEMENT TASK DISTRIBUTION		355	————	E-69													
MINIMUM REPLACEMENT UNIT	M	245	MINREUHG	D-62	X		X			X					X		
MAXIMUM ALLOWABLE OPERATING TIME	M	221	MAOTIMHG	C-40	X												
MAINTENANCE ACTION CODE	M	206	MAIACTHG	C-41	X		X			X							
RECOMMENDED INITIAL SYSTEM STOCK BUY	M	328	RISSBUHG	D-54	X		X			X	X		X		X		
RECOMMENDED MINIMUM SYSTEM STOCK LEVEL	M	329	RMSSLIHG	D-53	X		X			X	X		X		X		
RECOMMENDED TENDER LOAD LIST QUANTITY	N	331	RTLLQTHG	D-55													
TOTAL QUANTITY RECOMMENDED	M	453	TOTQTYHG	C-37	X		X			X	X		X		X		
MAINTENANCE TASK DISTRIBUTION		214	————	E-67													
REPAIR CYCLE TIME		350	————	E-68													
OPTION 1																	
OPTION 2																	
NOT REPAIRABLE THIS STATION	R	261	NORETSHG	C-42													
REPAIR SURVIVAL RATE		351	REPSURHG	D-56													
DESIGNATED REWORK POINT		061	————	E-60													
WORK UNIT CODE		516	WRKUCDHG	J-86													
ALLOWANCE ITEM CODE		017	ALLOWCHG	D-50													
ALLOWANCE ITEM QUANTITY		018	ALIQTYHG	D-51													
Table HH, *OVERHAUL-KIT NEXT HIGHER ASSEMBLY PLISN*																	
NEXT HIGHER ASSEMBLY (NHA) PLISN	K	258	NHAPLIHH	C-29	X		X			X			X	X	X		
NHA PLISN INDICATOR	M	259	NHAINDHH	C-30	X		X			X			X	X	X		
OVERHAUL REPLACEMENT RATE		281	OVHRERHH	C-31													

Part II	LSAR DATA REQUIREMENTS FORM															Section 2
PROVISIONING REQUIREMENTS																
DATA ELEMENT TITLE	*KEY*	*DED*	*CODE*	LSA 036 CARD BLOCK	REQD	LLTIL	PPL	SFPPL	CEIL	RIL	ISIL	PCL	TTEL	SCPL	DCN	ARA	ARB
Table HI, *PROVISIONING REMARK*																	
PROVISIONING REMARKS		311	REMARKHI	H-79													
Table HJ, *PROVISIONING REFERENCE DESIGNATION*																	
REFERENCE DESIGNATION	K	335	REFDESHJ	D-44	E		E	E		E			E	E	E		
OPTION 1	M				E		E	E		E			E	E	E		
OPTION 2																	
OPTION 3	M				H		H	H		H			H	H	H		
OPTION 4																	
OPTION 5																	
REFERENCE DESIGNATION CODE	K	336	RDCODEHJ	D-46	E		E	E		E			E	E	E		
TECHNICAL MANUAL (TM) CODE	M	437	TMCODEKI		Z												
FIGURE NUMBER	M	144	FIGNUMHK		M		M	M		M			M	N	M		
ITEM NUMBER	M	184	ITEMNOHK		M		M	M		M			M	M	M		
Table HK, *PARTS MANUAL DESIGNATION*																	
TECHNICAL MANUAL (TM) CODE	F	437	TMCODEKI	J-80													
FIGURE NUMBER	K	144	FIGNUMHK	J-81													
ITEM NUMBER	K	184	ITEMNOHK	J-82													
TM FUNCTIONAL CONTROL GROUP		438	TMFGCDHK	J-86													
TM INDENTURE CODE		439	TMINDCHK	J-84													
QUANTITY PER FIGURE		318	QTYFIGHK	J-85													
TM CHANGE NUMBER		436	TMCHGNHK	J-83													
Table HL, *PARTS MANUAL PROVISIONING NOMENCLATURE*																	
PROVISIONING NOMENCLATURE		310	PROVNOHL	K-91													
Table HM, *BASIS OF ISSUE*																	
BASIS OF ISSUE	K	030	———	J-87													
Table HN, *PROVISIONING SERIAL NUMBER USUABLE ON CODE*																	
S/N PROVISIONING SYSTEM/EI LCN	F	189	LCNSEIHN														
S/N PROVISIONING SYSTEM/EI ALC	F	019	ALCSEIHN														
S/N PROVISIONING SERIAL NUMBER	F	373	———	Z	Z		Z	Z		Z			Z	Z	Z		
Table HO, *PROVISIONING SYSTEM/END ITEM USUABLE ON CODE*																	
UOC PROVISIONING SYSTEM/EI LCN	F	189	LCNSEIHO														
UOC PROVISIONING SYSTEM/EI ALC	F	019	ALCSEIHO														
Table HP, *DESIGN CHANGE INFORMATION*																	
CHANGE AUTHORITY NUMBER	K	043	CANUMBHP	F-68	Z		Z	Z		Z			Z	Z	Z		
REPLACED OR SUPERSEDING (R/S) PLISN	M	353	RSPLISHP	F-70	Z		Z	Z		Z			Z	Z	Z		
R/S PLISN INDICATOR	M	354	RSPINDHP	F-71	Z		Z	Z		Z			Z	Z	Z		
INTERCHANGEABILITY CODE	M	172	INTCHCHP	F-67	Z		Z	Z		Z			Z	Z	Z		
TOTAL ITEM CHANGES		452	TOTICHHP	F-69													
OPTION 1																	
OPTION 2																	

Part II	LSAR DATA REQUIREMENTS FORM																Section 2
PROVISIONING REQUIREMENTS																	
DATA ELEMENT TITLE	KEY	DED	CODE	LSA 036 CARD BLOCK	REOD	LLTIL	PPL	SFPPL	CBIL	RIL	ISIL	PCL	TTEL	SCPL	DCN	ARA	ARB
QUANTITY SHIPPED	M	323	QTYSHPHP	F-72	X	X					X		X				
QUANTITY PROCURED	M	322	QTYPROHP	F-73	X	X					X		X				
PRORATED EXHIBIT LINE ITEM NUMBER		305	PROELIHP	G-75													
PRORATED QUANTITY		306	PROQTYHP	G-76													
Table HQ, SERIAL NUMBER EFFECTIVITY																	
SERIAL NUMBER EFFECTIVITY	K	374	———	F-68	Z		Z				Z		Z				
Table HR, DESIGN CHANGE USUABLE ON CODE				F-74													

X = Required
Z = Required, if available
E = Required for Electronic Equipment
Q = Required for Electronic Equipment, if available
H = Required for Hull, Mechanical and Electrical (HM&E) Equipment
M = Required for Hull, Mechanical and Electrical (HM&E) Equipment, if available

Part III	LSAR DATA REQUIREMENTS FORM						Section 2
DATA ELEMENT TITLE	KEY	DED	CODE	REQ'D	COMMON	SELECTIVE	SPECIAL
PACKAGING AND PROVISIONING REQUIREMENT							
Table HA, *ITEM IDENTIFICATION (SEE ALSO PART II)*							
UNIT WEIGHT		497	UWEIGHHA				
UNIT SIZE		496	———				
HAZARDOUS CODE		184	HAZCODHA				
Table HF, *ITEM PACKAGING REQUIREMENTS*							
CAGE CODE	F	046	CAGECDXH				
REFERENCE NUMBER	F	337	REFNUMHA				
DEGREE OF PROTECTION CODE	K	074	DEGPROHF				
UNIT CONTAINER CODE		486	UNICONHF				
UNIT CONTAINER LEVEL		487	UCLEVLHF				
PACKING CODE		283	PKGCODHF				
PACKAGING CATEGORY CODE		282	PACCATHF				
METHOD OF PRESERVATION CODE		239	MEPRESHF				
CLEANING AND DRYING PROCEDURES		045	CDPROCHF				
PRESERVATION MATERIAL CODE		295	PRSMATHF				
WRAPPING MATERIAL		517	WRAPMTHF				
CUSHIONING AND DUNNAGE MATERIAL		067	CUSHMAHF				
CUSHIONING THICKNESS		068	CUSTHIHF				
QUANTITY PER UNIT PACK		321	QTYUPKHF				
INTERMEDIATE CONTAINER CODE		174	INTCONHF				
INTERMEDIATE CONTAINER QUANTITY		175	INCQTYHF				
SPECIAL MARKING CODE		394	SPEMRKHF				
UNIT PACK WEIGHT		495	UNPKWTHF				
UNIT PACK SIZE		494	———				
UNIT PACK CUBE		493	UNPKCUHF				
OPTIONAL PROCEDURES INDICATOR		272	OPTPRIHF				
SPECIAL PACKAGING INSTRUCTION (SPI)		398	SPINUMHF				
SPI NUMBER REVISION		397	SPIREVHF				
SPI NUMBER JULAIN DATE		187	SPDATEHF				
CONTAINER NATIONAL STOCK NUMBER		253	CONNSNHF				
SUPPLEMENTAL PACKAGING DATA		409	SUPPKDHF				
PACKAGING DATA PREPARER CAGE		046	PKCAGEHF				

PTD SUBMISSION SCHEDULE

PTD DUE DATE	NEW CONSTRUCTION OVER 36 MONTHS +		NEW CONSTRUCTION UNDER 36 MONTHS +		RENOVATION
	Lead Platform	Follow Platform	Lead Platform	Follow Platform	
30 MONTHS PRIOR TO PLATFORM DELIVERY	* 60%	70%	N/A	N/A	
24 MONTHS PRIOR TO PLATFORM DELIVERY	**80%	90%	40%	50%	
18 MONTHS PIROR TO PLATFORM DELIVERY	90%	95%	* 60%	70%	
12 MONTHS PRIOR TO PLATFORM DELIVERY	100%	100%	**80%	90%	100%
6 MONTHS PRIOR TO PLATFORM DELIVERY			100%	100%	

+ THIS BREAKDOWN REFERS TO THE LENGTH OF THE CONSTRUCTION PERIOD. THE CONSTRUCTION PERIOD EXTENDS FROM DATE OF CONTRACT AWARD TO CONTRACT DELIVERY DATE.

* TO INCLUDE AS A MINIMUM SWBS 233 AND 400.
** TO INCLUDE AS A MINIMUM SWBS 310.

(Reverse Blank)

PROVISIONING PERFORMANCE SCHEDULE	DATE INITIATED	REVISION NUMBER	REVISION DATE

END ARTICLE	CONTRACTOR

END ARTICLE DELIVERY DATES		SOLICITATION OR CONTRACT NUMBER	TYPE OF CONTRACT
DATE OF FIRST			☐ FSD ☐ PROD ☐ FSD W/ PROD
DATE OF LAST			

NO	EVENT	ACTION AGENCY	TIMING	CALENDAR DATE
1	CONTRACT AWARD	GOVT	CONTRACT MAILING DATE	
2	GUIDANCE CONFERENCE	GOVT CONTR	NLT 45 DAYS AFTER MAILING DATE OF CONTRACT	
3	DLSC SCREENING	CONTR	SUBMIT TO DLSC NOT EARLIER THAN 30 DAYS PRIOR TO SUBMITTING PTD	
4	SAIP a. CANDIDATE LIST	CONTR	NLT 165 DAYS PRIOR TO CONTRACTOR'S ORDER NEED DATE	
	b. SELECTED ITEM NOTIFICATION	GOVT	NLT 30 DAYS AFTER RECEIPT OF CANDIDATE LIST	
	c. CONTRACTOR PROCUREMENT SCHEDULE PTD. SPTD SCREENING RESULTS	CONTR	NLT 90 DAYS PRIOR TO CONTRACTOR'S ORDER NEED DATE	
	d. PROVISIONING CONFERENCE	GOVT CONTR	NLT 60 DAYS PRIOR TO CONTRACTOR'S ORDER NEED DATE	START / FINISH
	e. POIs RELEASED TO CONTRACTOR	GOVT	NLT 30 DAYS PRIOR TO CONTRACTOR'S ORDER NEED DATE	
5	LONG LEAD ITEMS LIST (LLIL) WITH SPTD AND DLSC SCREENING RESULTS a. INTERIM RELEASED ITEMS	CONTR	NLT 30 DAYS AFTER RELEASE FOR FABRICATION OR PROCUREMENT OF SPARE REPAIR PARTS	
	b. RECOMMENDED ITEMS	CONTR	45 DAYS PRIOR TO RELEASE OF PPL	
	c. PROVISIONING CONFERENCE	GOVT CONTR	NLT 90 DAYS PRIOR TO CONTRACTOR'S ORDER NEED DATE	START / FINISH
	d. PIOs RELEASED TO CONTRACTOR	GOVT	NLT 30 DAYS AFTER RECEIPT OF LLIL FROM CONTRACTOR	
6	PTD/SPTD REQUIREMENTS	CONTR	NLT 60 DAYS PRIOR TO PROVISIONING CONFERENCE	
7	PROVISIONING CONFERENCE	GOVT CONTR	NLT 60 DAYS AFTER RECEIPT OF PTD SPTD	START / FINISH
8	PIOs WITH DELIVERY SHEDULE	GOVT	DUE TO CONTRACTOR 60 DAYS AFTER PROVISIONING CONFERENCE	
9	ACCEPTED/REVISION OF DELIVERY SCHEDULE	CONTR	NLT 60 DAYS AFTER RECEIPT OF PIOs	
10	SPARES NEED DATE	GOVT	IAW PROGRAMMING CHECKLIST BUT NLT 90 DAYS PRIOR TO ORDER NEED DATE	
11	TRAINING START DATE	GOVT		
12	OPERATIONAL NEED DATE	GOVT		

REMARKS

APPROVED BY		
PROV CHAIRPERSON	CONTRACTOR	PROGRAM MANAGER

(Reverse Blank)

ACRONYMS

APL	Allowance Parts List
CDRL	Contract Data Requirements List
CG	Coast Guard
COR	Circular of Requirements
DID	Data Item Description
DOD	Department of Defense
EDFP	Engineering Data for Provisioning
EIC	Equipment Identification Code
FSS	Federal Supply System
HM&E	Hull, Mechanical & Electrical
ILS	Integrated Logistics Support
ILSM	Integrated Logistics Support Manager
ILSMT	Integrated Logistics Support Management Team
IM	Item Manager
LPA	Logistics Policy Advisor
LSA	Logistics Support Analysis
LSAR	Logistics Support Analysis Record
MLC	Maintenance Logistics Commands
MIL-STD	Military Standard
OGA	Other Government Agency
PA	Provisioning Activity
PL	Provisioning List
PM	Project Manager
PPL	Provisioning Parts List
PPS	Provisioning Performance Schedule
PRO	Project Resident Office
PTD	Provisioning Technical Documentation
PTDSS	PTD Submission Schedule
RAM	Reliability, Availability and Maintainability
SAM	Systems Acquisition Manual
SOW	Statement of Work
SPS	Statement of Prior Submission
TSM	Technical Support Manager

GLOSSARY

DEFINITIONS

ALLOWANCE DOCUMENT. A technical and supply support document which describes an equipment/component and lists both the spare parts allowed in the operating units inventory to perform maintenance. It also lists other parts available from the Federal Supply System (FSS) for unplanned maintenance and unit level repair.

CONTRACTOR. The prime supplier of the end item and associated support items to the government under terms of a specific contract.

CONTRACT DATA REQUIREMENTS LIST (CDRL). DD Form 1423, CDRL, establishes requirements for schedules, identifies actions and delineates the specific procedural and deliverable data requirements applicable to a particular solicitation or contract.

CUTTER SYSTEM FILE (CSF). The Coast Guard (CG) depository of all CG unique Hull, Mechanical and Electrical (HM&E) Allowance Parts Lists (APLs).

DATA ITEM DESCRIPTION (DID). DD Form 1664, DID defines the data required on the Contract Data Requirements List (CDRL).

EQUIPMENT IDENTIFICATION CODE (EIC). A 13 character alpha/numeric code assigned by the Provisioning Activity (PA) to track equipment through the provisioning process. The EIC may become the permanent equipment identifier in the allowance and configuration document. The EIC presently is used in the Hull, Mechanical and Electrical (HM&E) Cutter System File (CSF).

FIT-OUT. The actual placing of the supply support allowances and outfit items within the operational platform. This includes the store rooms, operating spaces and habitable areas. This normally is performed by the Hull, Mechanical and Electrical (HM&E) and Electronic Provisioning Activities (PAs) only.

INTERIM SUPPORT LEAD ALLOWANCE PARTS LISTS (ISLAPL). A Coast Guard document furnished to the contractor for use in making up front initial supply support allowance determinations and cost estimates for interim supply support of the end item for a specific period of time. This includes both the operational unit and system stock inventories.

OUTFIT LIST. A document depicting specific categories of non installed equipments and support items that are mission essential, such as tools, test, safety and rescue equipment, galley, habitable and common support items.

PROVISIONING ACTIVITY (PA). Organization, usually a Coast Guard (CG) activity, that assists in the development of the provisioning requirements and performs the provisioning process.

PROVISIONING LISTS (PLs). Generic term that applies to all types of provisioning listings.